

# UPFIT THE DENTAL OFFICE





John and Janelle Spencer have personal experience in the dental industry. John was a top representative for a major dental supplier, and Janelle, a dental hygienist. They started DCI Inc. thirty-nine years ago to provide dentists with quality dental parts and accessories.

What began with a small home loan, an idea for an improved syringe, and a makeshift office in their living room, has evolved into DCI becoming the world's largest and most trusted dental parts manufacturer.

Today, DCI remains a family run business with strong growth, based on five simple words: **making our customer's life easier.** 



### FAMILY OPERATED SINCE 1983

DCI is a family-operated company spanning two generations, based in Newberg, Oregon, the heart of dental equipment manufacturing in America.



## **TABLE OF CONTENTS**

| 4  | Chair-Mounted Delivery Systems                     |
|----|--|
| 12 | Post Mount Lights                                  |
| 14 | Stools   |
| 16 | Carts  |
| 24 | Side Delivery Systems                              |
| 26 | Arm-Mounted Delivery Systems                       |
| 34 | Cabinet-Mounted Delivery Systems                   |
| 44 | Compact Delivery Units                             |
| 48 | Panel-Mounted Units                                |
| 52 | OEM Replacements                                   |
| 55 | Auxiliary QD Panel & Lab Kit                       |
| 56 | Dimensional Drawings & Illustrated Parts Breakdown |

#### RELIANCE SWING MOUNT DELIVERY SYSTEMS





| Configuration shown |  |            |  |  |  |  |  |  |
|---------------------|--|------------|--|--|--|--|--|--|
| RS4000              | Reliance Swing Mount Pole w/ Auto Dental Unit & Light Pole | \$5,020.00 |  |  |  |  |  |  |
| RP4000              | Reliance Post Mount LED Light                              | \$2,810.00 |  |  |  |  |  |  |
| R4768               | Reliance Light Post Assembly, 24", White                   | \$240.00   |  |  |  |  |  |  |
| Step 5              | Chair Mount Adapter  | \$410.00   |  |  |  |  |  |  |
|                     |  | \$8,480.00 |  |  |  |  |  |  |

• Upfit your delivery system with the ability to accommodate left and right-handed dentistry.

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option  |  |        | lumber | Retail Price | TOTAL |  |  |  |  |  |  |
|---|--|--------|--------|--------------|-------|--|--|--|--|--|--|
| Step 1 Select Your Delivery System & Color                    |  |        |        |              |       |  |  |  |  |  |  |
| Reliance Swing Mount Pole w/Auto Dental Unit & Accessory Pole |  | RS4000 | White  | \$5,020.00   |       |  |  |  |  |  |  |
| Complete Steps 1 thru 5                                       |  | RS4050 | Gray   | \$5,020.00   |       |  |  |  |  |  |  |
| Reliance Swing Mount Pole w/Auto Dental Unit                  |  | RS4001 | White  | \$4,380.00   |       |  |  |  |  |  |  |
| Complete Steps 1, 2, 3, 5                                     |  | RS4051 | Gray   | \$4,380.00   |       |  |  |  |  |  |  |
| Reliance Swing Mount Accessory Pole Only                      |  | RS4002 | White  | \$1,410.00   |       |  |  |  |  |  |  |
| Complete Steps 1, 4, 5  |  | RS4052 | Gray   | \$1,410.00   |       |  |  |  |  |  |  |



| Step 2 Configure Your Control Head Options |   |                          |    |       |       |        |    |              |       |
|--|---|--------------------------|----|-------|-------|--------|----|--------------|-------|
|  | (All tubings are <b>Sterling</b> . If nothing is selected - highlighted positions will be used) | Part                     | Ha | andpi | ece P | ositio | ns |              |       |
|  | (An tubings are <b>sterning</b> . If nothing is selected - nighinghted positions will be used)  | Number                   | 0  | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ✓  | DCI Precision Comfort Syringe and tubing  |                          |    |       |       |        |    | Included     |       |
| ✓  | HP Tubing 4 Hole Asepsis  |                          |    |       |       |        |    | Included     |       |
|  | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)                            | 9885                     |    |       |       |        |    | \$530.00     |       |
|  | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)                             | 9889                     |    |       |       |        |    | \$620.00     |       |
|  | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)                          | 9905                     |    |       |       |        |    | \$280.00     |       |
|  | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)                           | 9900                     |    |       |       |        |    | \$370.00     |       |
|  | ISO-C 6-Pin Economy HPIIlumination System (Includes a 9483 tubing)                              | 9876                     |    |       |       |        |    | \$230.00     |       |
|  | ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)                              | 9881                     |    |       |       |        |    | \$320.00     |       |
|  | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                                   | 9483                     |    |       |       |        |    | \$174.00     |       |
|  | Additional ISO 5-Hole Tubing Option for Illumination Systems                                    | 9978                     |    |       |       |        |    | \$174.00     |       |
|  | Delete HP Position 3  | 4344                     |    |       |       |        |    | -\$40.00     |       |
|  | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                    | 4467 White/<br>4468 Gray |    |       |       |        |    | \$200.00     |       |
| ✓  | Stainless Steel Tray and Non-Skid Pad   |                          |    |       |       |        |    | Included     |       |
| ✓  | Wet/Dry Foot Control  |                          |    |       |       |        |    | Included     |       |
| ✓  | Handpiece Flush   |                          |    |       |       |        |    | Included     |       |
|  | Add scaler / chip air button to foot control  | 4346                     |    |       |       |        |    | \$80.00      |       |

|   | Step 3 Configure Your Utilities Options                            |         |           |  |  |  |  |  |  |  |  |
|---|--|---------|-----------|--|--|--|--|--|--|--|--|
|   | Part Number Retail Price   |         |           |  |  |  |  |  |  |  |  |
| Step 3A Configure Your Water System   |  |         |           |  |  |  |  |  |  |  |  |
| <ul> <li>Image: A set of the set of the</li></ul> | Self-Contained Water System w/ Quick Switch 1L Bottle              |         | Included  |  |  |  |  |  |  |  |  |
|   | Delete Self Contained Water System and Bottle                      | 4350    | -\$260.00 |  |  |  |  |  |  |  |  |
| Step 3  | 3B Configure Your Junction Box and Utilities                       |         |           |  |  |  |  |  |  |  |  |
| <ul> <li>✓</li> </ul>   | 6' Umbilical Tubing  |         | Included  |  |  |  |  |  |  |  |  |
|   | Additional Umbilical Length Per Foot, includes sheath tubing - Qty | R24962A | \$50.00   |  |  |  |  |  |  |  |  |
| 1   | Asepsis Utility Center and Valves                                  |         | Included  |  |  |  |  |  |  |  |  |
|   | Delete Asepsis Utility Center and Valves                           | 4347    | -\$310.00 |  |  |  |  |  |  |  |  |

| Step 4 Configure Your Accessory Pole                                 |                            |            |  |  |  |  |  |  |  |
|--|----------------------------|------------|--|--|--|--|--|--|--|
|  | Retail Price               | TOTAL      |  |  |  |  |  |  |  |
| Reliance Post Mount LED Light (Requires Light Post R4768/R4766)      | RP4000 White / RP4050 Gray | \$2,810.00 |  |  |  |  |  |  |  |
| Reliance Light Post Assembly, 24", w/ Adapter                        | R4768 White / R4766 Gray   | \$240.00   |  |  |  |  |  |  |  |
| Telescoping Assistant's Arm, 4 Position, (Requires 5380 & 8489/8249) | 5377 White / 5376 Gray     | \$569.30   |  |  |  |  |  |  |  |
| Precision Comfort Assistant's Package, HVE, SE, SYR                  | 5380                       | \$300.20   |  |  |  |  |  |  |  |
| Additional Extended Vacuum Valve and Tubing                          | R52892G                    | \$100.00   |  |  |  |  |  |  |  |
| Post Top Mount, 2"   | 8489 White / 8294 Gray     | \$141.30   |  |  |  |  |  |  |  |
| Flat Panel Monitor Top Mount (In place of light)                     | 4924 White / 4824 Gray     | \$500.00   |  |  |  |  |  |  |  |

|                          | Step 5 Select Your Chair Mount Adapter (Required)  |             |              |       |  |  |  |  |  |  |  |
|--------------------------|--|-------------|--------------|-------|--|--|--|--|--|--|--|
|                          |  | Part Number | Retail Price | TOTAL |  |  |  |  |  |  |  |
|                          | To Fit A-dec® Cascade® 1040  | R4489       | \$410.00     |       |  |  |  |  |  |  |  |
|                          | To Fit A-dec <sup>®</sup> Priority 1005 & 1010   | R4498       | \$410.00     |       |  |  |  |  |  |  |  |
|                          | To Fit A-dec® Decade® 1020, 1021 & 1015  | R9246       | \$410.00     |       |  |  |  |  |  |  |  |
|                          | To Fit Belmont Bel 20/50/Celebrity   | R4492       | \$410.00     |       |  |  |  |  |  |  |  |
|                          | To Fit Belmont AcuTrac   | R4501       | \$410.00     |       |  |  |  |  |  |  |  |
|                          | To Fit Marus™ DC1490, DC1690, DC1700, DC1702   | R4491       | \$410.00     |       |  |  |  |  |  |  |  |
|                          | To Fit Pelton 1500, 1800, 2000, 3000 , 1700  | R4489       | \$410.00     |       |  |  |  |  |  |  |  |
|                          | To Fit DCI Equipment 1235  | R4491       | \$410.00     |       |  |  |  |  |  |  |  |
|                          |  |             | Sub-total    |       |  |  |  |  |  |  |  |
| <ul> <li>Call</li> </ul> | Customer Service for Adapters not listed   | QTY         |              |       |  |  |  |  |  |  |  |
| A-dec®                   | , Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affil | TOTAL       |              |       |  |  |  |  |  |  |  |

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

#### **RELIANCE POST MOUNT DELIVERY SYSTEMS**



| Configuration shown |   |            |  |  |  |  |  |  |
|---------------------|---|------------|--|--|--|--|--|--|
| RO4100              | Reliance Over the Patient Dental Unit with Cuspidor & PMU | \$4,960.00 |  |  |  |  |  |  |
| RP4000              | Reliance Post Mount LED Light                             | \$2,810.00 |  |  |  |  |  |  |
| R4042               | Reliance Light Post Assembly, 30"                         | \$260.00   |  |  |  |  |  |  |
| R52906W             | Telescoping Assistant's Arm                               | \$640.00   |  |  |  |  |  |  |
| Step 5              | Chair Mount Adapter                                       | \$410.00   |  |  |  |  |  |  |
|                     |   | \$9,080.00 |  |  |  |  |  |  |

- Upfit your delivery system without the expense of a new chair.
  The Reliance Delivery System is designed to mount to most dental chairs.

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |  | Part N | umber | Retail Price | TOTAL |  |  |  |  |  |
|--|--|--------|-------|--------------|-------|--|--|--|--|--|
| Step 1 Select Your Delivery System & Color                   |  |        |       |              |       |  |  |  |  |  |
| Reliance Over the Patient Dental Unit with Cuspidor & PMU    |  | RO4100 | White | \$4,960.00   |       |  |  |  |  |  |
| Reliance over the Patient Dental Onit with Cuspidor & PMO    |  | RO4150 | Gray  | \$4,960.00   |       |  |  |  |  |  |
|  |  | RO4000 | White | \$4,430.00   |       |  |  |  |  |  |
| Reliance Over the Patient Automatic Dental Unit with PMU     |  | RO4050 | Gray  | \$4,430.00   |       |  |  |  |  |  |



|        | Step 2 Configure Your Cont  | rol Head            |        |            |          |       |      |                     |       |
|--------|---|---------------------|--------|------------|----------|-------|------|---------------------|-------|
|        | (All tubings are <b>Sterling</b> . If nothing is selected - highlighted positions will be used)                               | Part                |        | andpi<br>1 |          | 1     |      | Dotail Drico        | τοται |
|        | DCI Precision Comfort Syringe and tubing  | Number              | 0      | 1          | 2        | 3     | 4    | Retail Price        | TOTAL |
|        | HP Tubing 4 Hole Asepsis  |                     | -      |            |          |       |      | Included            |       |
| 1      |   | 0005                |        |            |          |       |      |                     |       |
| ]<br>] | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)  | 9885                |        |            |          |       |      | \$530.00            |       |
| ]<br>1 | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)   | 9889                |        |            |          |       |      | \$620.00            |       |
| ]<br>1 | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)  | 9905                |        |            |          |       |      | \$280.00            |       |
| ]<br>1 | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)   | 9900                |        |            |          |       |      | \$370.00            |       |
| ]<br>1 | ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)   | 9876                | _      |            |          |       |      | \$230.00            |       |
| ]<br>1 | ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)  | 9881                |        |            |          |       |      | \$320.00            |       |
| 」<br>1 | Additional ISO-C 6-Pin Tubing Option for Illumination Systems<br>Additional ISO 5-Hole Tubing Option for Illumination Systems | 9483                |        |            |          |       |      | \$174.00            |       |
| ]<br>1 | Delete HP Position 3  | 9978                |        |            |          |       |      | \$174.00            |       |
| ]      |   | 4344<br>4467 White/ |        |            |          |       |      | -\$40.00            |       |
|        | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing  | 4468 Gray           |        |            |          |       |      | \$200.00            |       |
|        | Stainless Steel Tray and Non-Skid Pad   |                     |        |            |          |       |      | Included            |       |
|        | Wet/Dry Foot Control  |                     |        |            |          |       |      | Included            |       |
|        | Handpiece Flush   |                     |        |            |          |       |      | Included            |       |
| ]      | Add scaler / chip air button to foot control  | 4346                |        |            |          |       |      | \$80.00             |       |
|        | Step 3 Configure Your Post Mount  | ed Utility          | y Ce   | ent        | er (     | Dpt   | tion | IS                  |       |
| _      |   |                     | Part M | lumb       | er       |       |      | Retail Price        | TOTA  |
| p :    | 3A Assistant's Package  | Deservery           | //     | (          |          |       |      |                     |       |
| ]      | Telescoping Arm w/ 4 Position Holder, 1 Syringe, 1 HVE & 1 SE   | R52906W             |        |            |          | G Gra | ıy   | \$640.00            |       |
| ]      | Additional Extended Vacuum Valve and Tubing   |                     |        | 892G       |          |       |      | \$100.00            |       |
| ]      | Autoclavable Dry Oral Cup   |                     | 58     | 840        |          |       |      | \$30.00             |       |
|        | 3B Water System<br>Self Contained Water System with 2 Liter Bottle  |                     |        |            |          |       |      | Included            |       |
| 1      |   |                     | 4      | 250        |          |       |      |                     |       |
| <br>^  | Delete Self Contained Water System and Bottle Air QD and Water QD with flow control   |                     | 4.     | 350        |          |       |      | -\$260.00           |       |
| _      | All QD and water QD with how control 3C Junction Box and Utilities  |                     |        |            |          |       |      | Included            |       |
| μ.     | 6' Umbilical Tubing   |                     |        |            |          |       |      | Included            |       |
| 1      | Additional Umbilical Length Per Foot, includes sheath tubing - Qty  |                     | R74    | 875A       |          |       |      | \$50.00             |       |
|        | Asepsis Utility Center and Valves   |                     | 112    | 1075/1     |          |       |      | Included            |       |
| 1      | Delete Asepsis Utility Center and Valves  |                     | 4      | 347        |          |       |      | -\$310.00           |       |
| J      | Step 4 Configure Y  | our Light           |        | J47        |          |       |      | \$310.00            |       |
|        |   |                     |        | Vumb       | er       |       |      | Retail Price        | TOTA  |
| 1      | No Light On Unit (Standard)   |                     | urer   | Tanno      |          |       |      | N/C                 | 101/1 |
| 1      | Post Mount Reliance LED Light (Requires Light Post)   | RP4000              | White  | e / RP     | 4050     | Grav  | ,    | \$2,810.00          |       |
| ]      | Light Post With P&C Bushing , 30"   | R4042               |        |            |          |       |      | \$260.00            |       |
| -      | Step 5 Select Chair Mo  |                     |        |            |          |       |      | 1                   |       |
|        |   |                     |        | Numb       | er       |       |      | <b>Retail Price</b> | TOTAL |
| ]      | To Fit A-dec® Cascade® 1040   |                     |        | 522        |          |       |      | \$410.00            |       |
| 1      | To Fit A-dec <sup>®</sup> Priority 1005 & 1010  |                     |        | 515        |          |       |      | \$410.00            |       |
| 1      | To Fit A-dec <sup>®</sup> Decade <sup>®</sup> 1020, 1021 & 1015   |                     |        | 500        |          |       |      | \$410.00            |       |
| 1      | To Fit A-dec 500 <sup>®</sup>   | 8538                |        |            | \$410.00 |       |      |                     |       |
| 1      | To Fit Belmont Bel 20,50/Celebrity/Westar 2001 & 5000/LSM DC-1000 & C0H0  | 8338                |        |            | \$410.00 |       |      |                     |       |
| ]      | To Fit Belmont AcuTrac  | 8495                |        |            | \$410.00 |       |      |                     |       |
| 1      | To Fit DentalEZ® E3000  | 8552                |        |            | \$410.00 |       |      |                     |       |
| י<br>ן | To Fit DentalEZ® Advantage E2000  | 8919                |        |            | \$410.00 |       |      |                     |       |
| י<br>1 | To Fit Marus™ Pro/DCI Equipment   |                     |        | 561        |          |       |      | \$410.00            |       |
| י<br>ן | To Fit Pelton Spirit/Schein Empire  |                     |        | 918        |          |       |      | \$410.00            |       |
| י<br>ן | To Fit Royal  |                     |        | 497        |          |       |      | \$410.00            |       |
| 1      | то по по м  |                     | 0      | 101        |          |       |      | Sub-total           |       |
|        |   |                     |        |            |          |       |      | QTY                 |       |
| Ш      | Customer Service for Adapters not listed  |                     |        |            |          |       |      |                     |       |

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

#### RELIANCE OVER THE PATIENT DELIVERY SYSTEM ONLY



- Upfit your delivery system without the expense of a new chair.
- The Reliance Delivery System is designed to mount to most dental chairs.

| ✓ - Standard Features □ - Choose Your Option | Part Number |        |       |            | TOTAL |  |  |  |  |  |
|--|-------------|--------|-------|------------|-------|--|--|--|--|--|
| Step 1 Select Your Delivery System Color     |             |        |       |            |       |  |  |  |  |  |
| Polianzo Quertha Datient Dontal Unit Only    |             | RO4001 | White | \$3,660.00 |       |  |  |  |  |  |
| Reliance Over the Patient Dental Unit Only   |             | RO4051 | Gray  | \$3,660.00 |       |  |  |  |  |  |



| Step 2 Configure Your Control Head Options |   |                          |    |       |       |        |    |              |       |
|--|---|--------------------------|----|-------|-------|--------|----|--------------|-------|
|  | (All tubings are <b>Charling</b> . If pathing is calasted, highlighted positions will be used)  | Part                     | Ha | andpi | ece P | ositio | ns |              |       |
|  | (All tubings are <b>Sterling</b> . If nothing is selected - highlighted positions will be used) | Number                   | 0  | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ×  | DCI Precision Comfort Syringe and tubing  |                          |    |       |       |        |    | Included     |       |
| <b>√</b>                                   | HP Tubing 4 Hole Asepsis  |                          |    |       |       |        |    | Included     |       |
|  | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)                            | 9885                     |    |       |       |        |    | \$530.00     |       |
|  | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)                             | 9889                     |    |       |       |        |    | \$620.00     |       |
|  | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)                          | 9905                     |    |       |       |        |    | \$280.00     |       |
|  | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)                           | 9900                     |    |       |       |        |    | \$370.00     |       |
|  | ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)                             | 9876                     |    |       |       |        |    | \$230.00     |       |
|  | ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)                              | 9881                     |    |       |       |        |    | \$320.00     |       |
|  | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                                   | 9483                     |    |       |       |        |    | \$174.00     |       |
|  | Additional ISO 5-Hole Tubing Option for Illumination Systems                                    | 9978                     |    |       |       |        |    | \$174.00     |       |
|  | Delete HP Position 3  | 4344                     |    |       |       |        |    | -\$40.00     |       |
|  | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                    | 4467 White/<br>4468 Gray |    |       |       |        |    | \$200.00     |       |
| ✓  | Stainless Steel Tray and Non-Skid Pad   |                          |    |       |       |        |    | Included     |       |
| 1  | Wet/Dry Foot Control  |                          |    |       |       |        |    | Included     |       |
| 1  | Handpiece Flush   |                          |    |       |       |        |    | Included     |       |
|  | Add scaler / chip air button to foot control  | 4346                     |    |       |       |        |    | \$80.00      |       |

|                       | Step 3 Configure Your Unit Options                                       |                       |          |  |  |  |  |
|-----------------------|--|-----------------------|----------|--|--|--|--|
|                       | Part Number Retail Price TO  |                       |          |  |  |  |  |
| <ul> <li>✓</li> </ul> | Self-Contained Quick-Switch Water System w/ 1 Liter Bottle               |                       | Included |  |  |  |  |
|                       | Telescoping Assistant's Arm, 4 Position (Requires 5380)                  | 5377 White/ 5376 Gray | \$569.30 |  |  |  |  |
|                       | Precision Comfort Assistant's Package, HVE, SE, SYR                      | 5380                  | \$300.20 |  |  |  |  |
|                       | Additional Extended Vacuum Valve and Tubing                              | R52892G               | \$100.00 |  |  |  |  |
|                       | Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort | 5432                  | \$590.00 |  |  |  |  |

| Step 4 Configure Your Light                         |                            |            |  |  |  |
|---|----------------------------|------------|--|--|--|
| Part Number Retail Price TOTAL                      |                            |            |  |  |  |
| No Light On Unit (Standard)                         |                            | N/C        |  |  |  |
| Post Mount Reliance LED Light (Requires Light Post) | RP4000 White / RP4050 Gray | \$2,810.00 |  |  |  |
| Light Post Extension, 24", Pelton & Crane Bushing   | 8921 White / 8969 Gray     | \$240.00   |  |  |  |

| Step 5 Select Chair Mount Adapter             |  |             |              |       |  |
|---|--|-------------|--------------|-------|--|
|   |  | Part Number | Retail Price | TOTAL |  |
|   | To Fit A-dec® Cascade® 1040  | 8522        | \$410.00     |       |  |
|   | To Fit A-dec <sup>®</sup> Priority 1005 & 1010                           | 8515        | \$410.00     |       |  |
|   | To Fit A-dec® Decade® 1020, 1021 & 1015                                  | 8500        | \$410.00     |       |  |
|   | To Fit A-dec 500 <sup>®</sup>  | 8538        | \$410.00     |       |  |
|   | To Fit Belmont Bel 20,50/Celebrity/Westar 2001 & 5000/LSM DC-1000 & C0H0 | 8493        | \$410.00     |       |  |
|   | To Fit Belmont AcuTrac   | 8917        | \$410.00     |       |  |
|   | To Fit DentalEZ® E3000   | 8552        | \$410.00     |       |  |
|   | To Fit DentalEZ® Advantage E2000   | 8919        | \$410.00     |       |  |
|   | To Fit Marus™ Pro/DCI Equipment  | 8561        | \$410.00     |       |  |
|   | To Fit Pelton Spirit/Schein Empire                                       | 8918        | \$410.00     |       |  |
|   | To Fit Royal   | 8497        | \$410.00     |       |  |
| Call Customer Service for Adapters not listed |  |             | Sub-total    |       |  |
|   |  |             | QTY<br>TOTAL |       |  |
|   |  |             |              |       |  |

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

#### RELIANCE POST MOUNT UTILITY (PMU)





| Configuration shown |                                   |            |  |  |
|---------------------|-----------------------------------|------------|--|--|
| RO4102              | Reliance Post Mount Utilities     | \$2,640.00 |  |  |
| RP4000              | Reliance Post Mount LED Light     | \$2,810.00 |  |  |
| R4042               | Reliance Light Post Assembly, 30" | \$260.00   |  |  |
| Step 5              | Chair Mount Adapter               | \$410.00   |  |  |
|                     |                                   | \$6,120.00 |  |  |

- Upfit your delivery system without the expense of a new chair.
- The Reliance Delivery System is designed to mount to most dental chairs.

| ✓ - Standard Features □ - Choose Your Option Part Number |  | Retail Price | TOTAL |            |  |  |  |
|--|--|--------------|-------|------------|--|--|--|
| Step 1 Select Your Delivery System & Color               |  |              |       |            |  |  |  |
| Reliance Post Mount Utilities, PMU w/Cuspidor            |  | RO4102       | White | \$2,640.00 |  |  |  |
|  |  | RO4152       | Gray  | \$2,640.00 |  |  |  |
| Deliance Deet Meunt Htilitics, DMH, No Cumider           |  | RO4002       | White | \$2,170.00 |  |  |  |
| Reliance Post Mount Utilities, PMU, No Cuspidor          |  | RO4052       | Gray  | \$2,170.00 |  |  |  |

|        | <b>Step 2</b> Configure Your Post Mounted Utility Center Options   |                                 |              |       |  |  |  |
|--------|--|---------------------------------|--------------|-------|--|--|--|
|        |  | Part Number                     | Retail Price | TOTAL |  |  |  |
| Step 2 | Step 2A Assistant's Package  |                                 |              |       |  |  |  |
|        | Telescoping Arm w/ 4 Position Holder, 1 Syringe, 1 HVE & 1 SE      | R52906W White /<br>R52906G Gray | \$640.00     |       |  |  |  |
|        | Additional Extended Vacuum Valve and Tubing                        | R52892G                         | \$100.00     |       |  |  |  |
|        | Autoclavable Dry Oral Cup  | 5840                            | \$30.00      |       |  |  |  |
| Step 2 | 2B Water System  |                                 |              |       |  |  |  |
| ✓      | Self Contained Water System with 2 Liter Bottle                    |                                 | Included     |       |  |  |  |
|        | Delete Self Contained Water System and Bottle                      | 4350                            | -\$260.00    |       |  |  |  |
| ✓      | Air QD and Water QD with flow control                              |                                 | Included     |       |  |  |  |
| Step 2 | 2C Junction Box and Utilities                                      |                                 |              |       |  |  |  |
| ✓      | 6' Umbilical Tubing  |                                 | Included     |       |  |  |  |
|        | Additional Umbilical Length Per Foot, includes sheath tubing - Qty | R24875A                         | \$50.00      |       |  |  |  |
| ~      | Asepsis Utility Center and Valves                                  |                                 | Included     |       |  |  |  |
|        | Delete Asepsis Utility Center and Valves                           | 4347                            | -\$310.00    |       |  |  |  |

| Step 3 Configure Your Light                         |                            |            |  |  |
|---|----------------------------|------------|--|--|
| Part Number Retail Price TOT                        |                            |            |  |  |
| No Light On Unit (Standard)                         |                            | N/C        |  |  |
| Post Mount Reliance LED Light (Requires Light Post) | RP4000 White / RP4050 Gray | \$2,810.00 |  |  |
| Light Post With P&C Bushing , 30"                   | R4042 White / R4767 Gray   | \$260.00   |  |  |

|  | Part Number | Retail Price | TOTAL |
|--|-------------|--------------|-------|
| To Fit A-dec® Cascade® 1040  | 8522        | \$410.00     |       |
| To Fit A-dec® Priority 1005 & 1010                                       | 8515        | \$410.00     |       |
| To Fit A-dec® Decade® 1020, 1021 & 1015                                  | 8500        | \$410.00     |       |
| To Fit A-dec 500®  | 8538        | \$410.00     |       |
| To Fit Belmont Bel 20,50/Celebrity/Westar 2001 & 5000/LSM DC-1000 & C0H0 | 8493        | \$410.00     |       |
| To Fit Belmont AcuTrac   | 8917        | \$410.00     |       |
| To Fit DentalEZ <sup>®</sup> E3000                                       | 8552        | \$410.00     |       |
| To Fit DentalEZ® Advantage E2000   | 8919        | \$410.00     |       |
| □ To Fit Marus <sup>™</sup> Pro/DCI Equipment                            | 8561        | \$410.00     |       |
| To Fit Pelton Spirit/Schein Empire                                       | 8918        | \$410.00     |       |
| To Fit Royal   | 8497        | \$410.00     |       |
|  |             |              |       |
| Call Customer Service for Adapters not listed                            |             | QTY          |       |
|  |             | TOTAL        |       |

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

#### RELIANCE POST MOUNT LIGHT



| FEATURES                 | RELIANCE |
|--------------------------|----------|
| LED Technology           | X        |
| 3rd Axis Head Rotation   | X        |
| Reflective Technology    | X        |
| Dual Touch Controls      | X        |
| Offered in Gray or White | X        |
| 3" X 6" Light Pattern    | X        |
| 5000K Color Temperature  | X        |



RP4000

| 🗸 - Standard Features 🛛 - Choose Your Option |  | Part Number | Color | Retail Price | TOTAL |
|--|--|-------------|-------|--------------|-------|
| Step 1 Choose Your Light Color               |  |             |       |              |       |
| Reliance Post Mount Light, 120 Volt          |  | RP4000      | White | \$2,810.00   |       |
|  |  | RP4050      | Gray  | \$2,810.00   |       |

| Step 2 Configure Your Light Post                 |                        |          |  |  |
|--|------------------------|----------|--|--|
| Post 48" Long Powdercoat w/ P&C Bushing          | 8482 White / 4049 Gray | \$267.10 |  |  |
| Light Post Extension, 24", P&C Bushing and Clamp | 8921 White / 8969 Gray | \$240.00 |  |  |
| Light Post Extension, 30", P&C Bushing and Clamp | 8463 White / 8986 Gray | \$260.00 |  |  |
|  |                        |          |  |  |
|  |                        | QTY      |  |  |
|  |                        | TOTAL    |  |  |



8482/4049

8463/8986

8921/8969

DCI

#### RELIANCE DENTAL STOOLS



| 🖌 - Standard Features 🛛 - Choose Your Option  | Part Number | Retail Price | TOTAL |  |
|---|-------------|--------------|-------|--|
| Step 1 Select Your Stool  |             |              |       |  |
| Doctor's Stool (Cylinder height range 19" to 24")                                       | SDR051      | \$820.00     |       |  |
| Assistant's Stool with Body Support and Footring (Cylinder height range 23" to 29 1/2") | SAR051      | \$1,000.00   |       |  |

| Step 2 Select Your Upholstery               |       |          |  |  |  |  |  |  |  |
|---|-------|----------|--|--|--|--|--|--|--|
| Naugasoft Upholstery                        | 54633 | N/C      |  |  |  |  |  |  |  |
| Ultraleather <sup>®</sup> Upholstery        | 54634 | \$130.00 |  |  |  |  |  |  |  |
| Non-Standard Upholstery Upcharge per Stool* | 54646 | \$50.00  |  |  |  |  |  |  |  |

\*Allow for an additional 2 weeks above standard lead time for all Non-Standard Upholstery. Manufacturer part number required. Contact Customer Service to confirm availability.

#### Premium Ultraleather® Upholstery

Upcharge applies \$130 per Stool



#### Naugasoft Upholstery

Naugasoft included in price for Stools



15

#### RELIANCE AUTOMATIC 3 HP CART SYSTEMS



Our dental cart systems are not only sturdy, but they're also stylish and affordable, perfect to upfit any modern dental practice.

- · Sturdy all-metal control head w/ smooth lines for easy cleaning
- Automatic control for 3 handpieces
- Stainless Steel tray (PN 8013) & Non-Skid Pad
- Precision Comfort<sup>®</sup> Syringe
- Wet/Dry foot control

- 11/4" Umbilical, 7 ft.
- Utility center w/ white box
- Variety of tubing color and type to choose from
- Assistant's Package, 2 HVE & 1 SE (R4540/4542 only)

| ✓ - Standard Features 🛛 - Choose Your Option                |  | Part N | umber | Retail Price | TOTAL |  |  |  |  |
|---|--|--------|-------|--------------|-------|--|--|--|--|
| Step 1 Select Your Cart System                              |  |        |       |              |       |  |  |  |  |
| Reliance Automatic Control Cart for 3 HP                    |  | R4511  | White | \$3,680.00   |       |  |  |  |  |
| Reliance Automatic Control Cart for 3 HP w/ Premium Vacuum  |  | R4540  | White | \$4,050.00   |       |  |  |  |  |
| Reliance Automatic Control Cart for 3 HP, Single Air Source |  | R4523  | White | \$2,360.00   |       |  |  |  |  |
| Reliance Automatic Control Cart for 3 HP w/ Standard Vacuum |  | 4542   | White | \$4,050.00   |       |  |  |  |  |



|              | Step 2 Configure Your Cont  | rol Head       | <b>  O</b> p | otic  | ons   |   |   |              |       |
|--------------|---|----------------|--------------|-------|-------|---|---|--------------|-------|
|              | (All tubings are <b>Sterling</b> . If nothing is selected - highlighted positions will be used) | Part<br>Number |              | andpi | ece P | 1 | 1 | Retail Price | τοται |
| ✓            | DCI Precision Comfort Syringe and tubing  | Number         | 0            |       | 2     | 3 | 4 | Included     | TOTAL |
| ~            | HP Tubing 4 Hole Asepsis  |                |              |       |       |   |   | Included     |       |
|              | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)                            | 9885           |              |       |       |   |   | \$530.00     |       |
|              | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)                             | 9889           |              |       |       |   |   | \$620.00     |       |
|              | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)                          | 9905           |              |       |       |   |   | \$280.00     |       |
|              | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)                           | 9900           |              |       |       |   |   | \$370.00     |       |
|              | ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)                             | 9876           |              |       |       |   |   | \$230.00     |       |
|              | ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)                              | 9881           |              |       |       |   |   | \$320.00     |       |
|              | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                                   | 9483           |              |       |       |   |   | \$174.00     |       |
|              | Additional ISO 5-Hole Tubing Option for Illumination Systems                                    | 9978           |              |       |       |   |   | \$174.00     |       |
|              | Delete HP Position 3  | 4344           |              |       |       |   |   | -\$40.00     |       |
|              | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                    | 4467 White     |              |       |       |   |   | \$200.00     |       |
| $\checkmark$ | Stainless Steel Tray and Non-Skid Pad   |                |              |       |       |   |   | Included     |       |
| ✓            | Wet/Dry Foot Control  |                |              |       |       |   |   | Included     |       |
|              | Add scaler / chip air button to foot control  | 4346           |              |       |       |   |   | \$80.00      |       |
| ✓            | Self contained water system   |                |              |       |       |   |   | Included     |       |
|              | Additional umbilical length per foot includes sheath tubing qty_                                | R24962A        |              |       |       |   |   | \$30.00      |       |
| ✓            | Asepsis Utility center and valves (Not included for R4523)                                      |                |              |       |       |   |   | Included     |       |
|              | Converter & Adapter, Water Bottle Quick-Switch Kit  | 8941           |              |       |       |   |   | \$74.10      |       |
|              | 2 Liter Bottle w/ Cap & Pick-Up Tube  | 8164           |              |       |       |   |   | \$12.70      |       |



9885 / 9889





9905 / 9900

9876 / 9881

DCI

#### RELIANCE MANUAL 2 HP CART SYSTEMS



The Reliance Automatic 2 HP Cart system features smooth lines for easy cleaning at an affordable price point.

- · Sturdy all-metal control head w/ smooth lines for easy cleaning
- 11/4" Umbilical, 7 ft.

- Manual control for 2 handpieces
- Stainless Steel tray (PN 8013) & Non-Skid Pad

- Utility center w/ white box
- Precision Comfort® Assistant's Package, 2 HVE & 1 SE (R4240 only)

• Precision Comfort<sup>®</sup> Syringe

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |  | Part N | umber | Retail Price | TOTAL |  |  |  |  |
|--|--|--------|-------|--------------|-------|--|--|--|--|
| Step 1 Select Your Cart System                               |  |        |       |              |       |  |  |  |  |
| Reliance Manual Control Cart for 2 HP                        |  | R4245  | White | \$2,050.00   |       |  |  |  |  |
| Reliance Manual Control Cart for 2 HP w/Premium Vacuum       |  | R4240  | White | \$2,390.00   |       |  |  |  |  |



R4245

R4240

|   | Step 2 Configure Your Cont  | rol Head | <b>  O</b> p        | otic | ons |   |   |              |       |
|---|---|----------|---------------------|------|-----|---|---|--------------|-------|
|   | (All tubings are <b>Sterling</b> . If nothing is selected - highlighted positions will be used) | Part     | Handpiece Positions |      |     | 1 |   |              |       |
| ✓ |   | Number   | 0                   | 1    | 2   | 3 | 4 | Retail Price | TOTAL |
| • | DCI Precision Comfort Syringe and tubing  |          | -                   |      |     |   |   |              |       |
| ✓ | HP Tubing 4 Hole Asepsis  |          |                     |      |     |   |   | Included     |       |
|   | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)                            | 9885     |                     |      |     |   |   | \$530.00     |       |
|   | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)                             | 9889     |                     |      |     |   |   | \$620.00     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)                          | 9905     |                     |      |     |   |   | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)                           | 9900     |                     |      |     |   |   | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)                             | 9876     |                     |      |     |   |   | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)                              | 9881     |                     |      |     |   |   | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                                   | 9483     |                     |      |     |   |   | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                    | 9978     |                     |      |     |   |   | \$174.00     |       |
| ✓ | Stainless Steel Tray and Non-Skid Pad   |          |                     |      |     |   |   | Included     |       |
| ✓ | Standard Foot Control   |          |                     |      |     |   |   | Included     |       |
|   | Add scaler / chip air button to foot control  | 4346     |                     |      |     |   |   | \$80.00      |       |
| ✓ | Self contained water system   |          |                     |      |     |   |   | Included     |       |
|   | Additional umbilical length per foot includes sheath tubing qty                                 | R24962A  |                     |      |     |   |   | \$30.00      |       |
| ✓ | Asepsis Utility center and valves   |          |                     |      |     |   |   | Included     |       |
|   | Converter & Adapter, Water Bottle Quick-Switch Kit  | 8941     |                     |      |     |   |   | \$74.10      |       |
|   | 2 Liter Bottle w/ Cap & Pick-Up Tube  | 8164     |                     |      |     |   |   | \$12.70      |       |



9885 / 9889


9905 / 9900

9876 / 9881

DCI

19

#### **RELIANCE OPERATORY SUPPORT CARTS: U FRAME**



- Operatory Support Cart w/ U-Frame
- 19" x 22" work surface
- Solid 1" white laminate top w/ gray edge banding Precision Comfort® Assistant's Package, 1 SYR, 1 HVE & 1 SE (R4220 only)

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |  | Part N | umber | Retail Price | TOTAL |  |  |  |  |
|--|--|--------|-------|--------------|-------|--|--|--|--|
| Step 1 Select Your Cart System                               |  |        |       |              |       |  |  |  |  |
| Work Surface w/ U-Frame Assy                                 |  | R4227  | White | \$1,440.00   |       |  |  |  |  |
| Operatory Support Cart w/Assistant's Package U-Frame         |  | R4220  | White | \$2,150.00   |       |  |  |  |  |





R4227

R4220

|                   | Step 2 Configure Your Cart Options              |      |          |  |  |  |  |  |  |  |
|-------------------|---|------|----------|--|--|--|--|--|--|--|
| Part Retail Price |   |      |          |  |  |  |  |  |  |  |
|                   | Storage Well w/ Organizers                      | 8400 | \$300.00 |  |  |  |  |  |  |  |
|                   | Utility Center, Premium w/ Frame & Cover, White | 8329 | \$486.50 |  |  |  |  |  |  |  |

| Step 3 Configure Your Doctor's Delivery   |             |              |       |  |  |  |  |  |
|---|-------------|--------------|-------|--|--|--|--|--|
|   | Part Number | Retail Price | TOTAL |  |  |  |  |  |
| Step 3A Choose Doctor's Delivery  |             |              |       |  |  |  |  |  |
| Reliance Cabinet Mount Automatic Control Unit for 3 HP (requires 4289, 8337 & 8336)     | 4470        | \$967.80     |       |  |  |  |  |  |
| Reliance Cabinet Mount Manual Control Unit for 2 HP, 2 Wet (requires 4289, 8337 & 8336) | 4521        | \$724.50     |       |  |  |  |  |  |
| Step 3B Required with Doctor's Delivery   |             |              |       |  |  |  |  |  |
| Pin Mount Bracket Kit, White  | 4289        | \$67.30      |       |  |  |  |  |  |
| Rigid Arm, 6", White  | 8337        | \$64.20      |       |  |  |  |  |  |
| Control Mount Bracket, White  | 8336        | \$107.70     |       |  |  |  |  |  |
| Additional Extended Vacuum Valve and Tubing   | R52892G     | \$100.00     |       |  |  |  |  |  |




8400

4470

4289 / 8337 / 8336

21

#### **RELIANCE OPERATORY SUPPORT CARTS: H FRAME**



- Operatory Support Cart w/ U-Frame
- 19" x 22" work surface
- Solid 1" white laminate top w/ gray edge banding Precision Comfort® Assistant's Package, 1 SYR, 1 HVE & 1 SE (R4221 only)

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |  | Part Ni | umber | Retail Price | TOTAL |  |  |  |  |
|--|--|---------|-------|--------------|-------|--|--|--|--|
| Step 1 Select Your Cart System                               |  |         |       |              |       |  |  |  |  |
| Work Surface w/ H-Frame Assy                                 |  | R4228   | White | \$1,440.00   |       |  |  |  |  |
| Operatory Support Cart w/ Assistant's Package H-Frame        |  | R4221   | White | \$2,780.00   |       |  |  |  |  |



R4228

**Step 2** Configure Your Cart Options Part **Retail Price** TOTAL Number Asepsis Self-Contained Deluxe QS Single Water System w/ 2 Liter Bottle & 2" Clamp (Included with R4221) 8928QS \$355.00 Storage Well w/ Organizers 8400 \$300.00 Utility Center, Premium w/ Frame & Cover, White (Included with R4221) 8329 \$486.50 **Step 3** Configure Your Doctor's Delivery Part Number **Retail Price** TOTAL Step 3A Choose Doctor's Delivery Reliance Cabinet Mount Automatic Control Unit for 3 HP (requires 4289, 8337 & 8336) 4470 \$967.80 Reliance Cabinet Mount Manual Control Unit for 2 HP, 2 Wet (requires 4289, 8337 & 8336) \$724.50 4521 Step 3B Required with Doctor's Delivery Pin Mount Bracket Kit, White 4289 \$67.30 Rigid Arm, 6", White 8337 \$64.20 Control Mount Bracket, White \$107.70 8336 Additional Extended Vacuum Valve and Tubing R52892G \$100.00



4470

4289 / 8337 / 8336

DCI

R4221


#### RELIANCE SIDE DELIVERY



- Smooth lines for easing cleaning
- · Automatic control for 3 handpieces
- Includes a stainless-steel tray (PN 8013)
- Includes 8 Conductor Low Voltage Electrical Cable

- Includes a Precision Comfort<sup>®</sup> Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight **Sterling** Tubing is Standard

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option | Part N | umber  | Retail Price | TOTAL      |  |  |  |  |  |
|--|--------|--------|--------------|------------|--|--|--|--|--|
| Step 1 Select Your Delivery System                           |        |        |              |            |  |  |  |  |  |
| Reliance Side Delivery Auto Dental Unit                      |        | RW4000 | White        | \$4,320.00 |  |  |  |  |  |
|  |        | RW4050 | Gray         | \$4,320.00 |  |  |  |  |  |



|   | Step 2 Configure Your Cont   | rol Head                 | <b>O</b> p | otio  | ons   |        |    |              |       |
|---|--|--------------------------|------------|-------|-------|--------|----|--------------|-------|
|   | (All tubings are <b>Sterling</b> . If nothing is selected - highlighted positions will be used)  | Part                     | Ha         | andpi | ece P | ositio | ns |              |       |
|   | (All tubiligs are <b>sterning</b> . If nothing is selected - highlighted positions will be used) | Number                   | 0          | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| 1 | DCI Precision Comfort Syringe and tubing   |                          |            |       |       |        |    | Included     |       |
| 1 | HP Tubing 4 Hole Asepsis   |                          |            |       |       |        |    | Included     |       |
|   | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)                             | 9885                     |            |       |       |        |    | \$530.00     |       |
|   | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)                              | 9889                     |            |       |       |        |    | \$620.00     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)                           | 9905                     |            |       |       |        |    | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)                            | 9900                     |            |       |       |        |    | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)                              | 9876                     |            |       |       |        |    | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)                               | 9881                     |            |       |       |        |    | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                                    | 9483                     |            |       |       |        |    | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                     | 9978                     |            |       |       |        |    | \$174.00     |       |
|   | Delete HP Position 3   | 4344                     |            |       |       |        |    | -\$40.00     |       |
|   | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                     | 4467 White/<br>4468 Gray |            |       |       |        |    | \$200.00     |       |
| ✓ | Stainless Steel Tray and Non-Skid Pad  |                          |            |       |       |        |    | Included     |       |
| ✓ | Wet/Dry Foot Control   |                          |            |       |       |        |    | Included     |       |
|   | Add scaler / chip air button to foot control   | 4346                     |            |       |       |        |    | \$80.00      |       |

| Step 3 Select Your Unit Options   |        |          |  |  |  |  |  |  |  |
|---|--------|----------|--|--|--|--|--|--|--|
| Part Number Retail Price T  |        |          |  |  |  |  |  |  |  |
| Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle       | 8178QS | \$364.40 |  |  |  |  |  |  |  |
| Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort® | 5432   | \$590.00 |  |  |  |  |  |  |  |
| Precision Comfort® Assistant's Package, HVE, SE, SYR                      | 5380   | \$300.20 |  |  |  |  |  |  |  |
| Vertical Mount Assistant's Holders, 4 Position                            | 5378   | \$248.40 |  |  |  |  |  |  |  |



8178QS



5432



5378 / 5380


#### RELIANCE ARM-MOUNTED, 3 HP, AUTOMATIC



- Smooth lines for easing cleaning
- Automatic control for 3 handpieces
- Includes a stainless-steel tray (PN 8013)
- Includes 8 Conductor Low Voltage Electrical Cable

- Includes a Precision Comfort® Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight Gray Tubing is Standard

|      | ✓ - Standard Features □ - Choose Your Option  |      |                         | Part    | : Num      | ber        |             |         | Retail Price | TOTAL |
|------|---|------|-------------------------|---------|------------|------------|-------------|---------|--------------|-------|
|      | Step 1 Select Your Delive   | ry S | System                  | &       | Col        | or         |             |         |              |       |
| D    |   |      | 4478                    |         | W          | /hite      |             |         | \$2,023.50   |       |
| кепа | nce Arm Mounted Automatic Control Unit for 3 HP w/ Flex Arm                                 |      | 4477                    |         | G          | ray        |             |         | \$2,023.50   |       |
|      | Step 2 Configure Your Cor   | ntro | ol Head                 | l Op    | otio       | ons        |             |         |              |       |
|      | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) |      | Part<br>Number          | Ha<br>O | andpi<br>1 | ece P<br>2 | ositio<br>3 | ns<br>4 | Retail Price | TOTAL |
| ✓    | DCI Precision Comfort Syringe and tubing  |      |                         |         |            |            | -           |         | Included     |       |
| ✓    | HP Tubing 4 Hole Asepsis  |      |                         |         |            |            |             |         | Included     |       |
|      | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)                        |      | 9886                    |         |            |            |             |         | \$530.00     |       |
|      | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)                         |      | 9891                    |         |            |            |             |         | \$620.00     |       |
|      | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      |      | 9903                    |         |            |            |             |         | \$280.00     |       |
|      | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       |      | 9898                    |         |            |            |             |         | \$370.00     |       |
|      | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         |      | 9878                    |         |            |            |             |         | \$230.00     |       |
|      | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          |      | 9883                    |         |            |            |             |         | \$320.00     |       |
|      | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               |      | 9481                    |         |            |            |             |         | \$174.00     |       |
|      | Additional ISO 5-Hole Tubing Option for Illumination Systems                                |      | 9976                    |         |            |            |             |         | \$174.00     |       |
|      | Delete HP Position 3  |      | 4344                    |         |            |            |             |         | -\$40.00     |       |
|      | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                |      | 467 White/<br>4468 Gray |         |            |            |             |         | \$200.00     |       |
|      | Sub chassis for accessory integration   |      | 4230                    |         |            |            |             |         | \$70.00      |       |
| ✓    | Stainless Steel Tray  |      |                         |         |            |            |             |         | Included     |       |
| ✓    | Wet/Dry Foot Control  |      |                         |         |            |            |             |         | Included     |       |
|      | Add scaler / chip air button to foot control  |      | 4346                    |         |            |            |             |         | \$80.00      |       |
| ~    | 50" Flex Arm for 2" Post w/ Air Brake   |      |                         |         |            |            |             |         | Included     |       |





| 4 | 47 | 18 | / | 4 | 4 | 7 |  |
|---|----|----|---|---|---|---|--|
|   |    |    |   |   |   |   |  |

| Step 3 Configure Your Mo     | unting Options         |              |       |
|------------------------------|------------------------|--------------|-------|
|                              | Part Number            | Retail Price | TOTAL |
| Wall Mount Bracket           | 8647 White / 8349 Gray | \$165.60     |       |
| Top Post Mount Adapter Kit   | 8923 White/ 8956 Gray  | \$160.00     |       |
| Post, 24", w/ Oilite Bushing | 4762 White / 4764 Gray | \$196.70     |       |
| Post, 30", w/ Oilite Bushing | 4763 White / 4765 Gray | \$202.90     |       |

| Step 4 Select Your Utility   | Center Options |              |       |
|--|----------------|--------------|-------|
|  | Part Number    | Retail Price | TOTAL |
| Asepsis Self-Contained Deluxe QS Single Water System<br>w/ 2 Liter Bottle & 2" Clamp | 8928QS         | \$355.00     |       |
| Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle                  | 8178QS         | \$364.40     |       |
| Utility Center w/ White Box & Regulators   | 8329           | \$486.50     |       |
| Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort             | 5432           | \$590.00     |       |
| Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)                | 5364           | \$367.50     |       |
| Vertical Mount Assistant's Holders, 4 Position                                       | 5373           | \$96.30      |       |



DCI

#### ALTERNATIVE ARM-MOUNTED, 3 HP, AUTOMATIC



- Shown with optional Stainless Steel Tray (PN 8013). Sold separately
- · Smooth lines for easing cleaning
- Automatic control for 3 handpieces
- Includes 8 Conductor Low Voltage Electrical Cable

- Includes a Precision Comfort® Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight Gray Tubing is Standard

|   | $\checkmark$ - Standard Features $\Box$ - Choose Your Option                        |      |                | Part    | : Num      | ber         |             |         | Retail Price | TOTAL |
|---|---|------|----------------|---------|------------|-------------|-------------|---------|--------------|-------|
|   | Step 1 Select Your De   | live | ery Sys        | ten     | n          |             |             |         |              |       |
|   | native Arm Mounted Automatic Control Unit for 3 HP<br>ay & White Flex Arm           |      | 4376           |         | W          | 'hite       |             |         | \$1,857.90   |       |
|   | Step 2 Configure Your Control Head Options  |      |                |         |            |             |             |         |              |       |
|   | (All tubings are Gray. If nothing is selected - highlighted positions will be used) |      | Part<br>Number | Ha<br>O | andpi<br>1 | ece Po<br>2 | ositio<br>3 | ns<br>4 | Retail Price | TOTAL |
| ~ | DCI Precision Comfort Syringe and tubing  |      | Number         | 0       |            | 2           | ,           | 4       | Included     | TOTAL |
| ✓ | HP Tubing 4 Hole Asepsis  |      |                |         |            |             |             |         | Included     |       |
|   | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)                |      | 9886           |         |            |             |             |         | \$530.00     |       |
|   | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)                 |      | 9891           |         |            |             |             |         | \$620.00     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)              |      | 9903           |         |            |             |             |         | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)               |      | 9898           |         |            |             |             |         | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                 |      | 9878           |         |            |             |             |         | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                  |      | 9883           |         |            |             |             |         | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                       |      | 9481           |         |            |             |             |         | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                        |      | 9976           |         |            |             |             |         | \$174.00     |       |
|   | Delete HP Position 3  |      | 4344           |         |            |             |             |         | -\$40.00     |       |
|   | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing        | 4    | 467 White      |         |            |             |             |         | \$200.00     |       |
|   | Stainless Steel Tray  |      | 8013           |         |            |             |             |         | \$43.50      |       |
| ✓ | Wet/Dry Foot Control  |      |                |         |            |             |             |         | Included     |       |
|   | Add scaler / chip air button to foot control  |      | 4346           |         |            |             |             |         | \$80.00      |       |
| ~ | 50" Flex Arm for 2" Post w/ Air Brake   |      |                |         |            |             |             |         | Included     |       |



4376

Shown with optional Stainless Steel Tray (PN 8013). Sold separately.

| Step 3 Configure Your Mo           | unting Options |              |       |
|------------------------------------|----------------|--------------|-------|
|                                    | Part Number    | Retail Price | TOTAL |
| Wall Mount Bracket                 | 8647 White     | \$165.60     |       |
| Top Post Mount Adapter             | 8923 White     | \$160.00     |       |
| Post, 24" White, w/ Oilite Bushing | 4762           | \$196.70     |       |
| Post, 30" White, w/ Oilite Bushing | 4763           | \$202.90     |       |

| Step 4 Select Your Utility   | Center Options |              |       |
|--|----------------|--------------|-------|
|  | Part Number    | Retail Price | TOTAL |
| Asepsis Self-Contained Deluxe QS Single Water System<br>w/ 2 Liter Bottle & 2" Clamp | 8928QS         | \$355.00     |       |
| Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle                  | 8178QS         | \$364.40     |       |
| Utility Center w/ White Box & Regulators   | 8329           | \$486.50     |       |
| Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort             | 5432           | \$590.00     |       |
| Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)                | 5364           | \$367.50     |       |
| Vertical Mount Assistant's Holders, 4 Position                                       | 5373           | \$96.30      |       |



8923



4762 / 4764









8928QS



5373 / 5364



DCI


#### RELIANCE ARM-MOUNTED, 2 HP, MANUAL



- Shown with optional Stainless Steel Tray (PN 8013). Sold separately
- · Smooth lines for easing cleaning
- Automatic control for 2 handpieces
- Includes 8 Conductor Low Voltage Electrical Cable

- Includes a Precision Comfort® Gray
- Available in left- or right-hand configuration
- 4-Hole Straight Gray Tubing is Standard

|       | $\checkmark$ - Standard Features $\Box$ - Choose Your Option                                |       |         | Part | Num   | ber   |        |    | Retail Price | TOTAL |
|-------|---|-------|---------|------|-------|-------|--------|----|--------------|-------|
|       | Step 1 Select Your Delive   | ery S | System  | 8    | Col   | or    |        |    |              |       |
| Relia | nce Arm Mounted Manual Control Unit for 2HP,  |       | 4530    |      | W     | /hite |        |    | \$1,857.90   |       |
| 2 Wet | ? Wet w/ Flex Arm   |       | 4528    |      | Gray  |       |        |    | \$1,857.90   |       |
| Relia | Reliance Arm Mounted Manual Control Unit for 2HP,<br>1 Wet & 1 Dry w/ Flex Arm              |       | 4529    |      | W     | /hite |        |    | \$1,790.60   |       |
| 1 Wet |   |       | 4526    |      | G     | ray   |        |    | \$1,790.60   |       |
|       | Step 2 Configure Your Co  | ntro  | ol Head | l Op | otio  | ons   |        |    |              |       |
|       | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used. | )     | Part    | Ha   | andpi | ece P | ositio | ns |              |       |
|       | (in tability) are <b>dray</b> . If nothing is selected inighted positions with be used,     |       | Number  | 0    | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ✓     | DCI Precision Comfort Syringe and tubing  |       |         |      |       |       |        |    | Included     |       |
| 1     | HP Tubing 4 Hole Asepsis  |       |         |      |       |       |        |    | Included     |       |
|       | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      |       | 9903    |      |       |       |        |    | \$280.00     |       |
|       | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       |       | 9898    |      |       |       |        |    | \$370.00     |       |
|       | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         |       | 9878    |      |       |       |        |    | \$230.00     |       |
|       | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          |       | 9883    |      |       |       |        |    | \$320.00     |       |
|       | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               |       | 9481    |      |       |       |        |    | \$174.00     |       |
|       | Additional ISO 5-Hole Tubing Option for Illumination Systems                                |       | 9976    |      |       |       |        |    | \$174.00     |       |
|       | Stainless Steel Tray  |       | 8013    |      |       |       |        |    | \$43.50      |       |
| ✓     | Disc-Type Foot Control  |       |         |      |       |       |        |    | Included     |       |
|       | Add scaler / chip air button to foot control  |       | 4346    |      |       |       |        |    | \$80.00      |       |
| ✓     | 50" Flex Arm for 2" Post w/ Air Brake   |       |         |      |       |       |        |    | Included     |       |





4530 / 4528 4529 / 4526

Shown with optional Stainless Steel Tray (PN 8013). Sold separately.

| Step 3 Configure Your Mo     | unting Options         |          |  |
|------------------------------|------------------------|----------|--|
|                              | Retail Price           | TOTAL    |  |
| Wall Mount Bracket           | 8647 White / 8349 Gray | \$165.60 |  |
| Top Post Mount Adapter       | 8923 White / 8956 Gray | \$160.00 |  |
| Post, 24", w/ Oilite Bushing | 4762 White / 4764 Gray | \$196.70 |  |
| Post, 30", w/ Oilite Bushing | 4763 White / 4765 Gray | \$202.90 |  |

| Step 4 Select Your Utility   | Center Options |                     |       |
|--|----------------|---------------------|-------|
|  | Part Number    | <b>Retail Price</b> | TOTAL |
| Asepsis Self-Contained Deluxe QS Single Water System<br>w/ 2 Liter Bottle & 2" Clamp | 8928QS         | \$355.00            |       |
| Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle                  | 8178QS         | \$364.40            |       |
| Utility Center w/ White Box & Regulators   | 8329           | \$486.50            |       |
| Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort             | 5432           | \$590.00            |       |
| Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)                | 5364           | \$367.50            |       |
| Vertical Mount Assistant's Holders, 4 Position                                       | 5373           | \$96.30             |       |



8923 / 8956



8329



4762 / 4764



5432



8928QS



5373 / 5364

#### ALTERNATIVE ARM-MOUNTED, 2 HP, MANUAL



- Shown with optional Stainless Steel Tray (PN 8013). Sold separately
- · Smooth lines for easing cleaning
- · Automatic control for 2 handpieces
- Includes 8 Conductor Low Voltage Electrical Cable

- Includes a Precision Comfort® Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight Gray Tubing is Standard

| ✓ - Standard Features □ - Choose Your Option                                   |  | Part | Number | Retail<br>Price | TOTAL |  |  |  |  |
|--|--|------|--------|-----------------|-------|--|--|--|--|
| Step 1 Select Your Delivery System   |  |      |        |                 |       |  |  |  |  |
| Alternative Arm Mounted 2 Wet w/ Tray & White Flex Arm                         |  | 4129 | White  | \$1,671.60      |       |  |  |  |  |
| Alternative Arm Mounted Manual Control, 1 Wet & 1 Dry w/ Tray & White Flex Arm |  | 4128 | White  | \$1,588.80      |       |  |  |  |  |

|   | Step 2 Configure Your Cont  | rol Head | <b>  O</b> p | otia  | ns    |        |    |              |       |
|---|---|----------|--------------|-------|-------|--------|----|--------------|-------|
|   | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part     | Ha           | andpi | ece P | ositio | ns |              |       |
|   |   | Number   | 0            | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ✓ | DCI Precision Comfort Syringe and tubing  |          |              |       |       |        |    | Included     |       |
| ✓ | HP Tubing 4 Hole Asepsis  |          |              |       |       |        |    | Included     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903     |              |       |       |        |    | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898     |              |       |       |        |    | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878     |              |       |       |        |    | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9883     |              |       |       |        |    | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481     |              |       |       |        |    | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976     |              |       |       |        |    | \$174.00     |       |
|   | Stainless Steel Tray  | 8013     |              |       |       |        |    | \$43.50      |       |
| ✓ | Standard Foot Control   |          |              |       |       |        |    | Included     |       |
|   | Add scaler / chip air button to foot control  | 4346     |              |       |       |        |    | \$80.00      |       |
| ✓ | 50" Flex Arm for 2" Post w/ Air Brake   |          |              |       |       |        |    | Included     |       |



4128 / 4129

Shown with optional Stainless SteelTray (PN 8013). Sold separately.

| Step 3 Configure Your Mounting Options |                                    |             |              |       |  |  |  |
|--|------------------------------------|-------------|--------------|-------|--|--|--|
|  |                                    | Part Number | Retail Price | TOTAL |  |  |  |
|  | Wall Mount Bracket                 | 8647 White  | \$165.60     |       |  |  |  |
|  | Top Post Mount Adapter             | 8923 White  | \$160.00     |       |  |  |  |
|  | Post, 24" White, w/ Oilite Bushing | 4762        | \$196.70     |       |  |  |  |
|  | Post, 30" White, w/ Oilite Bushing | 4763        | \$202.90     |       |  |  |  |

| Step 4 Select Your Utility Center Options |  |             |              |       |  |  |  |
|---|--|-------------|--------------|-------|--|--|--|
|   |  | Part Number | Retail Price | TOTAL |  |  |  |
|   | Asepsis Self-Contained Deluxe QS Single Water System<br>w/ 2 Liter Bottle & 2" Clamp | 8928QS      | \$355.00     |       |  |  |  |
|   | Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle                  | 8178QS      | \$364.40     |       |  |  |  |
|   | Utility Center w/ White Box & Regulators   | 8329        | \$486.50     |       |  |  |  |
|   | Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort             | 5432        | \$590.00     |       |  |  |  |
|   | Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)                | 5364        | \$367.50     |       |  |  |  |
|   | Vertical Mount Assistant's Holders, 4 Position                                       | 5373        | \$96.30      |       |  |  |  |



8923 / 8956







4762 / 4764





8928QS



DCI

#### RELIANCE CABINET-MOUNTED DELIVERY WITH ASSISTANT'S PACKAGE



- Precision Comfort<sup>®</sup> Syringe
- Wet/Dry Foot Control
- Stainless-steel tray (PN 8013) and holder
- 7 ft. of 5/8" umbilical

- $\cdot~$  4-Hole Straight Gray Tubing is Standard, with other tubing styles and colors available upon request.
- Economy Self-Contained Deluxe Water System w/ 2L Bottle

|       | $\checkmark$ - Standard Features $\Box$ - Choose Your Option                                |              |      | Part    | Num         | nber        |             |         | Retail Price | TOTAL |
|-------|---|--------------|------|---------|-------------|-------------|-------------|---------|--------------|-------|
|       | Step 1 Select Your Deli   | very         | Syst | ten     | 1           |             |             |         | , i          |       |
| Relia | ice Cabinet Mount Automatic Control Unit for 3 HP, w/ Asst. Pkg                             |              |      |         | 4469        |             |             |         | \$3,177.50   |       |
| Relia | nce Cabinet Mount Manual Control Unit for 2 HP, w/ Asst. Pkg                                |              |      |         | 4521L       |             |             | 1       | \$3,006.70   |       |
|       | Step 2 Configure Your Cont  | rol He       | ead  | Op      | tio         | ns          |             |         |              |       |
|       | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part<br>Numb |      | Ha<br>0 | Indpio<br>1 | ece Po<br>2 | ositio<br>3 | ns<br>4 | Retail Price | TOTAL |
| 1     | DCI Precision Comfort Syringe and tubing  |              |      |         |             |             |             |         | Included     |       |
| 1     | HP Tubing 4 Hole Asepsis  |              |      |         |             |             |             |         | Included     |       |
|       | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)                        | 9886         | 6    |         |             |             |             |         | \$530.00     |       |
|       | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)                         | 989          | 1    |         |             |             |             |         | \$620.00     |       |
|       | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903         | 3    |         |             |             |             |         | \$280.00     |       |
|       | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898         | 8    |         |             |             |             |         | \$370.00     |       |
|       | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878         | 3    |         |             |             |             |         | \$230.00     |       |
|       | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 988          | 3    |         |             |             |             |         | \$320.00     |       |
|       | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 948          | 1    |         |             |             |             |         | \$174.00     |       |
|       | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976         | 5    |         |             |             |             |         | \$174.00     |       |
|       | Delete HP Position 3  | 4344         | 1    |         |             |             |             |         | -\$40.00     |       |
|       | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                | 4467 W       | hite |         |             |             |             |         | \$200.00     |       |
|       | Sub chassis for accessory integration (For 4469 Only)                                       | 4230         | )    |         |             |             |             |         | \$70.00      |       |
| ✓     | Stainless Steel Tray  |              |      |         |             |             |             |         | Included     |       |
| ✓     | Disc-Type Foot Control  |              |      |         |             |             |             |         | Included     |       |
|       | Add scaler / chip air button to foot control  | 4346         | 5    |         |             |             |             |         | \$80.00      |       |
| ✓     | Economy Self-Contained Deluxe Water System w/ 2 Liter Bottle                                | 8143         | 3    |         |             |             |             |         | Included     |       |



4469

4521L

|   | Step 3 Configure Your M              | ounting Style |              |       |
|---|--------------------------------------|---------------|--------------|-------|
|   |                                      | Part Number   | Retail Price | TOTAL |
|   | Horizontal Mount, 1/2", White        | 8379          | \$60.90      |       |
| 1 | Vertical Mount, 1/2" Pin, White      | 8378          | Included     |       |
|   | Post Mount, 2", White                | 8259          | \$72.50      |       |
| 1 | Rigid Arm, 6", White (qty 2)         | 8337          | Included     |       |
| 1 | Rigid Arm, 8", Dual Pivot Arm, White | 8338          | Included     |       |



35

#### RELIANCE CABINET-MOUNTED, 3 HP, AUTOMATIC




- · Automatic control for 3 handpieces
- Precision Comfort<sup>®</sup> Syringe
- Wet/Dry Foot Control


• 7 ft. of 5/8" umbilical

 $\cdot~$  4-Hole Straight  ${\rm Gray}$  Tubing is Standard, with other tubing styles and colors available upon request.


| $\checkmark$ - Standard Features $\Box$ - Choose Your Option | Part Ni | ımber | Retail Price | TOTAL    |  |  |  |  |  |  |
|--|---------|-------|--------------|----------|--|--|--|--|--|--|
| Step 1 Select Your Delivery System                           |         |       |              |          |  |  |  |  |  |  |
| Reliance Cabinet Mount Automatic Control Unit for 3 HP       |         | 4470  | White        | \$967.80 |  |  |  |  |  |  |

|   | Step 2 Configure Your Cont  | rol Head                 | Op | otio | ns |   |   |              |       |
|---|---|--------------------------|----|------|----|---|---|--------------|-------|
|   | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part Handpiece Positions |    |      |    |   |   |              |       |
|   | (An tubings are <b>Gray</b> ). If nothing is selected - inginighted positions will be used) | Number                   | 0  | 1    | 2  | 3 | 4 | Retail Price | TOTAL |
| ✓ | DCI Precision Comfort Syringe and tubing  |                          |    |      |    |   |   | Included     |       |
| ✓ | HP Tubing 4 Hole Asepsis  |                          |    |      |    |   |   | Included     |       |
|   | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)                        | 9886                     |    |      |    |   |   | \$530.00     |       |
|   | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)                         | 9891                     |    |      |    |   |   | \$620.00     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903                     |    |      |    |   |   | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898                     |    |      |    |   |   | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878                     |    |      |    |   |   | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9883                     |    |      |    |   |   | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481                     |    |      |    |   |   | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976                     |    |      |    |   |   | \$174.00     |       |
|   | Delete HP Position 3  | 4344                     |    |      |    |   |   | -\$40.00     |       |
|   | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                | 4467 White               |    |      |    |   |   | \$200.00     |       |
|   | Sub chassis for accessory integration   | 4230                     |    |      |    |   |   | \$70.00      |       |
| ✓ | Wet/Dry Foot Control  |                          |    |      |    |   |   | Included     |       |
|   | Add scaler / chip air button to foot control  | 4346                     |    |      |    |   |   | \$80.00      |       |





4470





4470

| Step 3 Configure Your M   | ounting Style          |              |       |
|---|------------------------|--------------|-------|
|   | Part Number            | Retail Price | TOTAL |
| Control Mount Bracket (for use with rigid arms)                     | 8336 White / 8634 Gray | \$107.70     |       |
| Rigid Arm, 6"   | 8337 White / 8303 Gray | \$64.20      |       |
| Rigid Arm, 8", Dual Pivot Arm                                       | 8338 White / 8304 Gray | \$66.30      |       |
| Rigid Arm, 12"  | 8356 White / 8306 Gray | \$72.50      |       |
| Rigid Arm, 16"  | 8357 White / 8307 Gray | \$78.70      |       |
| Surface mount bracket vertical (for use with rigid arms)            | 8378 White / 8308 Gray | \$60.90      |       |
| Surface mount bracket horizontal (for use with rigid arms)          | 8379 White / 8309 Gray | \$60.90      |       |
| Surface mount bracket under counter mount (for use with rigid arms) | 4289 White / 4291 Gray | \$67.30      |       |
| Post Mount, 2" (for use with rigid arms)                            | 8259 White / 8253 Gray | \$72.50      |       |
| Post Top Mount, 2" (for use with rigid arms)                        | 8489 White / 8294 Gray | \$141.30     |       |

| Step 4 Select Your Utility Center Options |             |              |       |  |  |  |  |  |
|---|-------------|--------------|-------|--|--|--|--|--|
|   | Part Number | Retail Price | TOTAL |  |  |  |  |  |
| Economy clean water system                | 8139QS      | \$224.60     |       |  |  |  |  |  |
| Asepsis Dual clean water system           | 8178QS      | \$364.40     |       |  |  |  |  |  |



8634, 8303, 8306, 8253



8634, 8303, 4291

• Other mounting combinations possible



8634, 8303, 8308



8634, 8304, 8294



8634, 8304, 8303, 8308



8634, 8304, 8308

37

DCI

### ALTERNATIVE CABINET-MOUNTED, 3 HP, AUTOMATIC



- Automatic control for 3 handpieces
- Precision Comfort<sup>®</sup> Syringe
- Wet/Dry Foot Control

• 7 ft. of 5/8" umbilical

 $\cdot~$  4-Hole Straight Gray Tubing is Standard, with other tubing styles and colors available upon request.

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |       | Part N     | ımber | Retail Price | TOTAL |
|--|-------|------------|-------|--------------|-------|
| Step 1 Select Your D   | elive | ery System |       |              |       |
| Alternative Cabinet or Wall Mount Automatic Control 3 HP     |       | 4370       | White | \$802.20     |       |

|   | Step 2 Configure Your Control Head Options  |            |    |       |       |        |    |              |       |
|---|---|------------|----|-------|-------|--------|----|--------------|-------|
|   | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part       | Ha | andpi | ece P | ositio | ns |              |       |
|   | (An tubings are <b>Gray</b> ). In nothing is selected inighted positions will be used)      | Number     | 0  | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ✓ | DCI Precision Comfort Syringe and tubing  |            |    |       |       |        |    | Included     |       |
| ✓ | HP Tubing 4 Hole Asepsis  |            |    |       |       |        |    | Included     |       |
|   | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)                        | 9886       |    |       |       |        |    | \$530.00     |       |
|   | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)                         | 9891       |    |       |       |        |    | \$620.00     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903       |    |       |       |        |    | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898       |    |       |       |        |    | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878       |    |       |       |        |    | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9883       |    |       |       |        |    | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481       |    |       |       |        |    | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976       |    |       |       |        |    | \$174.00     |       |
|   | Delete HP Position 3  | 4344       |    |       |       |        |    | -\$40.00     |       |
|   | Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing                | 4467 White |    |       |       |        |    | \$200.00     |       |
| ✓ | Wet/Dry Foot Control  |            |    |       |       |        |    | Included     |       |
|   | Add scaler / chip air button to foot control  | 4346       |    |       |       |        |    | \$80.00      |       |



4370

| Step 3 Configure Your Mounting Style                                |                        |              |       |  |  |  |  |
|---|------------------------|--------------|-------|--|--|--|--|
|   | Part Number            | Retail Price | TOTAL |  |  |  |  |
| Control Mount Bracket (for use with rigid arms)                     | 8336 White / 8634 Gray | \$107.70     |       |  |  |  |  |
| Rigid Arm, 6"   | 8337 White / 8303 Gray | \$64.20      |       |  |  |  |  |
| Rigid Arm, 8", Dual Pivot Arm                                       | 8338 White / 8304 Gray | \$66.30      |       |  |  |  |  |
| Rigid Arm, 12"  | 8356 White / 8306 Gray | \$72.50      |       |  |  |  |  |
| Rigid Arm, 16"  | 8357 White / 8307 Gray | \$78.70      |       |  |  |  |  |
| Surface mount bracket vertical (for use with rigid arms)            | 8378 White / 8308 Gray | \$60.90      |       |  |  |  |  |
| Surface mount bracket horizontal (for use with rigid arms)          | 8379 White / 8309 Gray | \$60.90      |       |  |  |  |  |
| Surface mount bracket under counter mount (for use with rigid arms) | 4289 White / 4291 Gray | \$67.30      |       |  |  |  |  |
| Post Mount, 2" (for use with rigid arms)                            | 8259 White / 8253 Gray | \$72.50      |       |  |  |  |  |
| Post Top Mount, 2" (for use with rigid arms)                        | 8489 White / 8294 Gray | \$141.30     |       |  |  |  |  |
| Step 4 Select Your Addit  | ional Options          |              |       |  |  |  |  |
|   | Part Number            | Retail Price | TOTAL |  |  |  |  |
| Economy clean water system  | 8139QS                 | \$224.60     |       |  |  |  |  |
| Asepsis Dual clean water system                                     | 8178QS                 | \$364.40     |       |  |  |  |  |



8634, 8303, 8294



8634, 8303, 4291





8634, 8303, 8308



8634, 8304, 8294



8634, 8303, 8308



8634, 8304, 8308

### RELIANCE CABINET-MOUNTED, 2 HP, MANUAL



- · Manual control for 2 handpieces
- Precision Comfort<sup>®</sup> Syringe
- Standard Foot Control

• 7 ft. of 5/8" umbilical

 $\cdot~$  4-Hole Straight Gray Tubing is Standard, with other tubing styles and colors available upon request.

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option       |     | Part Number | Retail Price | TOTAL |
|--|-----|-------------|--------------|-------|
| Step 1 Select Your Delive  | ery | System      |              |       |
| Reliance Cabinet Mount Manual Control Unit for 2 HP, 2 Wet         |     | 4521        | \$724.50     |       |
| Reliance Cabinet Mount Manual Control Unit for 2 HP, 1 Wet & 1 Dry |     | 4520        | \$693.50     |       |

|   | Step 2 Configure Your Cont  | trol Head | d 0 | pti   | ons   |        |    |              |       |
|---|---|-----------|-----|-------|-------|--------|----|--------------|-------|
|   | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part      | Ha  | andpi | ece P | ositio | ns |              |       |
|   | (All tubiligs are <b>dray.</b> If nothing is selected - highlighted positions will be used) | Number    | 0   | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ~ | DCI Precision Comfort Syringe and tubing  |           |     |       |       |        |    | Included     |       |
| ✓ | HP Tubing 4 Hole Asepsis  |           |     |       |       |        |    | Included     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903      |     |       |       |        |    | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9891      |     |       |       |        |    | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9903      |     |       |       |        |    | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9898      |     |       |       |        |    | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481      |     |       |       |        |    | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976      |     |       |       |        |    | \$174.00     |       |
| ✓ | Standard Foot Control   |           |     |       |       |        |    | Included     |       |
|   | Add scaler / chip air button to foot control  | 4346      |     |       |       |        |    | \$80.00      |       |



4520 / 4521

| Step 3 Configure Your M   | ounting Style          |              |       |
|---|------------------------|--------------|-------|
|   | Part Number            | Retail Price | TOTAL |
| Control Mount Bracket (for use with rigid arms)                     | 8336 White / 8634 Gray | \$107.70     |       |
| Rigid Arm, 6"   | 8337 White / 8303 Gray | \$64.20      |       |
| Rigid Arm, 8", Dual Pivot Arm                                       | 8338 White / 8304 Gray | \$66.30      |       |
| Rigid Arm, 12"  | 8356 White / 8306 Gray | \$72.50      |       |
| Rigid Arm, 16"  | 8357 White / 8307 Gray | \$78.70      |       |
| Surface mount bracket vertical (for use with rigid arms)            | 8378 White / 8308 Gray | \$60.90      |       |
| Surface mount bracket horizontal (for use with rigid arms)          | 8379 White / 8309 Gray | \$60.90      |       |
| Surface mount bracket under counter mount (for use with rigid arms) | 4289 White / 4291 Gray | \$67.30      |       |
| Post Mount, 2" (for use with rigid arms)                            | 8259 White / 8253 Gray | \$72.50      |       |
| Post Top Mount, 2" (for use with rigid arms)                        | 8489 White / 8294 Gray | \$141.30     |       |
| Step 4 Select Your Addit  | ional Options          |              |       |
|   | Part Number            | Retail Price | TOTAL |
| Economy clean water system  | 8139QS                 | \$224.60     |       |
| Asepsis Dual clean water system                                     | 8178QS                 | \$364.40     |       |



8634, 8303, 8306, 8253



8634, 8303, 4291

• Other mounting combinations possible



8634, 8304, 8303, 8308



8634, 8304, 8294



8634, 8303, 8306, 4291



8634, 8304, 8308

### ALTERNATIVE CABINET-MOUNTED, 2 HP, MANUAL



- · Manual control for 2 handpieces
- Precision Comfort<sup>®</sup> Syringe
- Standard Foot Control

- 7 ft. of 5/8" umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option    |     | Part Number | Retail Price | TOTAL |
|---|-----|-------------|--------------|-------|
| Step 1 Select Your Delive                                       | ery | System      |              |       |
| Alternative Cabinet or Wall Mount Manual Control, 1 Wet & 1 Dry |     | 4120        | \$543.40     |       |
| Alternative Cabinet or Wall Mount Manual Control, 2 Wet         |     | 4121        | \$590.00     |       |

|   | Step 2 Configure Your Control Head Options   |        |    |       |       |        |    |              |       |
|---|--|--------|----|-------|-------|--------|----|--------------|-------|
|   | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used)  | Part   | Ha | andpi | ece P | ositio | ns |              |       |
|   | (An tubilitys are <b>Gray</b> . If nothing is selected - nightighted positions with be used) | Number | 0  | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| × | DCI Precision Comfort Syringe and tubing   |        |    |       |       |        |    | Included     |       |
| 1 | HP Tubing 4 Hole Asepsis   |        |    |       |       |        |    | Included     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                       | 9903   |    |       |       |        |    | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                        | 9898   |    |       |       |        |    | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                          | 9878   |    |       |       |        |    | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                           | 9883   |    |       |       |        |    | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                                | 9481   |    |       |       |        |    | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                 | 9976   |    |       |       |        |    | \$174.00     |       |
| 1 | Standard Foot Control  |        |    |       |       |        |    | Included     |       |
|   | Add scaler / chip air button to foot control   | 4346   |    |       |       |        |    | \$80.00      |       |



4120 / 4121

| Step 3 Configure Your M   | ounting Style          |              |       |
|---|------------------------|--------------|-------|
|   | Part Number            | Retail Price | TOTAL |
| Control Mount Bracket (for use with rigid arms)                     | 8336 White / 8634 Gray | \$107.70     |       |
| Rigid Arm, 6"   | 8337 White / 8303 Gray | \$64.20      |       |
| Rigid Arm, 8", Dual Pivot Arm                                       | 8338 White / 8304 Gray | \$66.30      |       |
| Rigid Arm, 12"  | 8356 White / 8306 Gray | \$72.50      |       |
| Rigid Arm, 16"  | 8357 White / 8307 Gray | \$78.70      |       |
| Surface mount bracket vertical (for use with rigid arms)            | 8378 White / 8308 Gray | \$60.90      |       |
| Surface mount bracket horizontal (for use with rigid arms)          | 8379 White / 8309 Gray | \$60.90      |       |
| Surface mount bracket under counter mount (for use with rigid arms) | 4289 White / 4291 Gray | \$67.30      |       |
| Post Mount, 2" (for use with rigid arms)                            | 8259 White / 8253 Gray | \$72.50      |       |
| Post Top Mount, 2" (for use with rigid arms)                        | 8489 White / 8294 Gray | \$141.30     |       |
| Step 4 Select Your Addit  | ional Options          |              |       |
|   | Part Number            | Retail Price | TOTAL |
| Economy clean water system  | 8139QS                 | \$224.60     |       |
| Asepsis Dual clean water system                                     | 8178QS                 | \$364.40     |       |



8634, 8303, 8306, 8253



8634, 8303, 4291

• Other mounting combinations possible



8634, 8303, 8308



8634, 8303, 8294



8634, 8304, 8303, 8308



8634, 8304, 8308

DCI

### DCI III COMPACT DELIVERY UNITS



- 2 Handpiece Flex Arm System
- Can mount on 2" Post
- Choose between Automatic or Manual
- Precision Comfort<sup>®</sup> Syringe
- 6 ft. ½" Umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |       | Part N   | umber | Retail Price | TOTAL |
|--|-------|----------|-------|--------------|-------|
| Step 1 Select Your D   | Deliv | ery Unit |       |              |       |
| DCI III Automatic control for 2 Handpiece, 2 Wet             |       | 4506     | White | \$ 822.90    |       |
| DCI III Manual control for 2 Handpiece, 1 Wet & 1 Dry        |       | 4502     | White | \$ 507.20    |       |

| Step 2 Configure Your Control Head Options |   |        |    |       |       |        |    |              |       |
|--|---|--------|----|-------|-------|--------|----|--------------|-------|
|  | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part   | На | andpi | ece P | ositio | ns |              |       |
|  | (in compositions with be used)  | Number | 0  | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| $\checkmark$                               | DCI Precision Comfort Syringe and tubing  |        |    |       |       |        |    | Included     |       |
| ✓  | HP Tubing 4 Hole Asepsis  |        |    |       |       |        |    | Included     |       |
|  | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903   |    |       |       |        |    | \$280.00     |       |
|  | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898   |    |       |       |        |    | \$370.00     |       |
|  | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878   |    |       |       |        |    | \$230.00     |       |
|  | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9883   |    |       |       |        |    | \$320.00     |       |
|  | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481   |    |       |       |        |    | \$174.00     |       |
|  | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976   |    |       |       |        |    | \$174.00     |       |
| <b>√</b>                                   | Individual Drive air controls   |        |    |       |       |        |    | Included     |       |
| <b>√</b>                                   | Foot Control  |        |    |       |       |        |    | Included     |       |
| ✓  | 6 foot of 1/2" Umbilical  |        |    |       |       |        |    | Included     |       |
|  | Add scaler / chip air button to foot control  | 4346   |    |       |       |        |    | \$80.00      |       |



4506 / 4502

| Step 3 Configure Y  | our M | ounting | Style             |              |       |  |  |  |  |  |
|---|-------|---------|-------------------|--------------|-------|--|--|--|--|--|
|   |       | F       | Part Number       | Retail Price | TOTAL |  |  |  |  |  |
| Control Mount Bracket (for use with rigid arms)                     |       | 8336    | White / 8634 Gray | \$107.70     |       |  |  |  |  |  |
| Rigid Arm, 6"   |       |         | White / 8303 Gray | \$64.20      |       |  |  |  |  |  |
| Rigid Arm, 8", Dual Pivot Arm                                       |       |         | White / 8304 Gray | \$66.30      |       |  |  |  |  |  |
| Rigid Arm, 12"  |       | 8356    | White / 8306 Gray | \$72.50      |       |  |  |  |  |  |
| Rigid Arm, 16"  |       |         | White / 8307 Gray | \$78.70      |       |  |  |  |  |  |
| Surface mount bracket vertical (for use with rigid arms)            |       |         | White / 8308 Gray | \$60.90      |       |  |  |  |  |  |
| Surface mount bracket horizontal (for use with rigid arms)          |       | 8379    | White / 8309 Gray | \$60.90      |       |  |  |  |  |  |
| Surface mount bracket under counter mount (for use with rigid arms) |       | 4289    | White / 4291 Gray | \$67.30      |       |  |  |  |  |  |
| Post Mount, 2" (for use with rigid arms)                            |       | 8259    | White / 8253 Gray | \$72.50      |       |  |  |  |  |  |
| Post Top Mount, 2" (for use with rigid arms)                        |       | 8489    | White / 8294 Gray | \$141.30     |       |  |  |  |  |  |
| Step 4 Select Your Additional Options                               |       |         |                   |              |       |  |  |  |  |  |
| Economy clean water system  | 81    | 39QS    |                   | \$224.60     |       |  |  |  |  |  |
| Asepsis Dual clean water system                                     | 81    | 78QS    |                   | \$364.40     |       |  |  |  |  |  |



8634, 8294



8634, 8303, 4291
• Other mounting combinations possible



8634, 8303, 8308



8634, 8304, 8294



8634, 8304, 8303, 8308



8634, 8304, 8308

### DCI II COMPACT DELIVERY UNITS



- Can mount on 2" Post
- Precision Comfort® Syringe
- 6 ft. ½" Umbilical

- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.
- Dimensions: 6" x 4 1/4" x 2 1/4"

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |       | Part N   | umber | Retail Price | TOTAL |
|--|-------|----------|-------|--------------|-------|
| Step 1 Select Your   | Deliv | ery Unit |       |              |       |
| DCI II manual control for 2 handpiece, 2 Wet                 |       | 4106     | White | \$ 495.80    |       |
| DCI II manual control for 2 handpiece 1 Wet & 1 Dry          |       | 4102     | White | \$ 455.40    |       |

|              | Step 2 Configure Your Cont  | ol Head | Opt | ion   | S     |        |    |              |       |
|--------------|---|---------|-----|-------|-------|--------|----|--------------|-------|
|              | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part    | Ha  | andpi | ece P | ositio | ns |              |       |
|              | (An tubings are <b>dray</b> . In nothing is selected - nighingrited positions will be used) | Number  | 0   | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ✓            | DCI Precision Comfort Syringe and tubing  |         |     |       |       |        |    | Included     |       |
| ✓            | HP Tubing 4 Hole Asepsis  |         |     |       |       |        |    | Included     |       |
|              | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903    |     |       |       |        |    | \$280.00     |       |
|              | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898    |     |       |       |        |    | \$370.00     |       |
|              | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878    |     |       |       |        |    | \$230.00     |       |
|              | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9883    |     |       |       |        |    | \$320.00     |       |
|              | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481    |     |       |       |        |    | \$174.00     |       |
|              | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976    |     |       |       |        |    | \$174.00     |       |
| $\checkmark$ | Individual Drive air controls   |         |     |       |       |        |    | Included     |       |
| ✓            | Economy Foot Control  |         |     |       |       |        |    | Included     |       |
| ✓            | 6 foot of 1/2" Umbilical  |         |     |       |       |        |    | Included     |       |
|              | Add scaler / chip air button to foot control  | 4346    |     |       |       |        |    | \$80.00      |       |



|                                       | Step 3 Configure Y  | our Moun | ting | Style             |              |       |  |  |  |  |
|---------------------------------------|---|----------|------|-------------------|--------------|-------|--|--|--|--|
|                                       |   |          | F    | Part Number       | Retail Price | TOTAL |  |  |  |  |
|                                       | Control Mount Bracket (for use with rigid arms)                     |          | 8336 | White / 8634 Gray | \$107.70     |       |  |  |  |  |
|                                       | Rigid Arm, 6"   |          | 8337 | White / 8303 Gray | \$64.20      |       |  |  |  |  |
|                                       | Rigid Arm, 8", Dual Pivot Arm                                       |          |      | White / 8304 Gray | \$66.30      |       |  |  |  |  |
|                                       | Rigid Arm, 12"  |          |      | White / 8306 Gray | \$72.50      |       |  |  |  |  |
|                                       | Rigid Arm, 16"  |          |      | White / 8307 Gray | \$78.70      |       |  |  |  |  |
|                                       | Surface mount bracket vertical (for use with rigid arms)            |          | 8378 | White / 8308 Gray | \$60.90      |       |  |  |  |  |
|                                       | Surface mount bracket horizontal (for use with rigid arms)          |          | 8379 | White / 8309 Gray | \$60.90      |       |  |  |  |  |
|                                       | Surface mount bracket under counter mount (for use with rigid arms) |          | 4289 | White / 4291 Gray | \$67.30      |       |  |  |  |  |
|                                       | Post Mount, 2" (for use with rigid arms)                            |          | 8259 | White / 8253 Gray | \$72.50      |       |  |  |  |  |
|                                       | Post Top Mount, 2" (for use with rigid arms)                        |          | 8489 | White / 8294 Gray | \$141.30     |       |  |  |  |  |
| Step 4 Select Your Additional Options |   |          |      |                   |              |       |  |  |  |  |
|                                       | Economy clean water system  | 8139QS   |      |                   | \$224.60     |       |  |  |  |  |
|                                       | Asepsis Dual clean water system                                     | 8178QS   |      |                   | \$364.40     |       |  |  |  |  |



8634, 8303, 8306, 8253



8634, 8303, 4291

• Other mounting combinations possible



8634, 8308



8634, 8304, 8294



8634, 8304, 8303, 8308



8634, 8304, 8308

DCI

### SPECIALTY UNIT PANEL & HORIZONTAL-MOUNTED, 3 HP, AUTOMATIC DELIVERY UNITS



- Individual drive air & water coolant controls
- Precision Comfort<sup>®</sup> Syringe
- Wet/Dry foot control
- Control dimensions: 8 1/2" x 1 3/4" x 5"
- Cut-out dimensions: 7 1/2" x 1 1/2"
- · Horizontal system can be mounted to top or bottom of surface
- 4-Hole Straight Gray Tubing is Standard, with other tubing styles and colors available upon request.

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option |  | Part Ni | umber | Retail Price | TOTAL |  |  |  |
|--|--|---------|-------|--------------|-------|--|--|--|
| Step 1 Select Your Delivery Unit                             |  |         |       |              |       |  |  |  |
| Panel Mount Automatic Control for 3 HP                       |  | 4415    | White | \$874.60     |       |  |  |  |
| Horizontal Mount Automatic Control for 3 HP                  |  | 4416    | White | \$1045.40    |       |  |  |  |

|   | Step 2 Configure Your Conti   | ol Head ( | Opt | ion   | S     |        |    |              |       |
|---|---|-----------|-----|-------|-------|--------|----|--------------|-------|
|   | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part      | Ha  | andpi | ece P | ositio | ns |              |       |
|   |   | Number    | 0   | 1     | 2     | 3      | 4  | Retail Price | TOTAL |
| ✓ | DCI Precision Comfort Syringe and tubing  |           |     |       |       |        |    | Included     |       |
| ✓ | HP Tubing 4 Hole Asepsis  |           |     |       |       |        |    | Included     |       |
|   | ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)                        | 9886      |     |       |       |        |    | \$530.00     |       |
|   | ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)                         | 9891      |     |       |       |        |    | \$620.00     |       |
|   | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903      |     |       |       |        |    | \$280.00     |       |
|   | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898      |     |       |       |        |    | \$370.00     |       |
|   | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878      |     |       |       |        |    | \$230.00     |       |
|   | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9883      |     |       |       |        |    | \$320.00     |       |
|   | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481      |     |       |       |        |    | \$174.00     |       |
|   | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976      |     |       |       |        |    | \$174.00     |       |
| ✓ | Individual Drive air & water coolant controls   |           |     |       |       |        |    | Included     |       |
| ✓ | Wet/Dry Foot Control  |           |     |       |       |        |    | Included     |       |
| ✓ | 6 foot of 1/2" Umbilical  |           |     |       |       |        |    | Included     |       |
|   | Add scaler / chip air button to foot control  | 4346      |     |       |       |        |    | \$80.00      |       |









4416

| Step 3 Select Your Additional Options   |        |          |  |  |  |  |  |  |  |  |
|---|--------|----------|--|--|--|--|--|--|--|--|
| Holder Bar, Under Counter Swing Mount, White                                  | 4445   | \$144.90 |  |  |  |  |  |  |  |  |
| Asepsis Dual clean water system   | 8178QS | \$364.40 |  |  |  |  |  |  |  |  |
| Economy clean water system  | 8139QS | \$224.60 |  |  |  |  |  |  |  |  |
| Wall & Cabinet Mount Assistant's Instrumentation<br>Premium Precision Comfort | 5432   | \$590.00 |  |  |  |  |  |  |  |  |
| Precision Comfort Assistant's Package, 2 HVE, SE, SYR                         | 5364   | \$367.50 |  |  |  |  |  |  |  |  |
| Vertical Mount Assistant's Holders, 4 Position                                | 5373   | \$96.30  |  |  |  |  |  |  |  |  |



4445

8178QS



8139QS





### SPECIALTY UNIT PANEL & HORIZONTAL-MOUNTED, 2 HP, MANUAL



- · Individual drive air & water coolant controls
- Precision Comfort<sup>®</sup> Syringe
- Economy foot control
- Control dimensions: 8 1/2" x 1 3/4" x 5"
- Cut-out dimensions: 7 1/2" x 1 1/2"
- Horizontal system can be mounted to top or bottom of surface
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

| 🖌 - Standard Features 🛛 - Choose Your Option |          | Part N | umber | Retail Price | TOTAL |
|--|----------|--------|-------|--------------|-------|
| Step 1 Select Your D                         | ery Unit |        |       |              |       |
| Panel Mount Manual Control for 2 HP          |          | 4400   | White | \$564.10     |       |
| Horizontal Mount Manual Control for 2 HP     |          | 4401   | White | \$631.40     |       |

| Step 2 Configure Your Control Head Options |   |        |    |       |       |        |    |                     |       |
|--|---|--------|----|-------|-------|--------|----|---------------------|-------|
|  | (All tubings are <b>Gray</b> . If nothing is selected - highlighted positions will be used) | Part   | Ha | andpi | ece P | ositio | ns |                     |       |
|  | (An tubings are <b>Gray</b> ). If nothing is selected a highlighted positions will be used) | Number | 0  | 1     | 2     | 3      | 4  | <b>Retail Price</b> | TOTAL |
| <b>√</b>                                   | DCI Precision Comfort Syringe and tubing  |        |    |       |       |        |    | Included            |       |
| ~  | HP Tubing 4 Hole Asepsis  |        |    |       |       |        |    | Included            |       |
|  | ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)                      | 9903   |    |       |       |        |    | \$280.00            |       |
|  | ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)                       | 9898   |    |       |       |        |    | \$370.00            |       |
|  | ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)                         | 9878   |    |       |       |        |    | \$230.00            |       |
|  | ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)                          | 9883   |    |       |       |        |    | \$320.00            |       |
|  | Additional ISO-C 6-Pin Tubing Option for Illumination Systems                               | 9481   |    |       |       |        |    | \$174.00            |       |
|  | Additional ISO 5-Hole Tubing Option for Illumination Systems                                | 9976   |    |       |       |        |    | \$174.00            |       |
| 1  | Individual Drive air & water coolant controls   |        |    |       |       |        |    | Included            |       |
| ✓  | Economy Foot Control  |        |    |       |       |        |    | Included            |       |
| ✓  | 6 foot of 1/2" Umbilical  |        |    |       |       |        |    | Included            |       |
|  | Add scaler / chip air button to foot control  | 4346   |    |       |       |        |    | \$80.00             |       |









| Step 3 Select Your Additional Options   |        |          |  |  |  |  |  |  |  |  |  |
|---|--------|----------|--|--|--|--|--|--|--|--|--|
| Holder Bar, Under Counter Swing Mount, White                                  | 4445   | \$144.90 |  |  |  |  |  |  |  |  |  |
| Asepsis Dual clean water system   | 8178QS | \$364.40 |  |  |  |  |  |  |  |  |  |
| Economy clean water system  | 8139QS | \$224.60 |  |  |  |  |  |  |  |  |  |
| Wall & Cabinet Mount Assistant's Instrumentation Premium Precision<br>Comfort | 5432   | \$590.00 |  |  |  |  |  |  |  |  |  |
| Precision Comfort Assistant's Package, 2 HVE, SE, SYR                         | 5364   | \$367.50 |  |  |  |  |  |  |  |  |  |
| Vertical Mount Assistant's Holders, 4 Position                                | 5373   | \$96.30  |  |  |  |  |  |  |  |  |  |



4445

8178QS



8139QS







5373 / 5364

# **OEM REPLACEMENT UNITS**



#### Automatic Control Unit, 3 HP, for A-dec<sup>®</sup> Cascade<sup>®</sup>

The Arm Mounted Automatic Control Unit features a new, simplified design with straightforward internals such as a single diaphragm control block without any moving pistons, springs, or O-rings and a simple combination valve for water flow control. This unit is a direct replacement for A-dec<sup>®</sup> Cascade<sup>®</sup> models.

- · Quick install that takes less than an hour
- Color matched to original A-dec<sup>®</sup> Surf
- Replacement for A-dec<sup>®</sup> Cascade<sup>®</sup>
- Individual Non-retracting Water Coolant
- 12 ft. color matched internal umbilical
- Includes Precision Comfort<sup>®</sup> Syringe

| $\checkmark$ - Standard Features $\Box$ - Choose Your Option        | Part Ni | umber | Retail Price | TOTAL |  |  |  |  |  |
|---|---------|-------|--------------|-------|--|--|--|--|--|
| Step 1 Choose Your Delivery Unit                                    |         |       |              |       |  |  |  |  |  |
| Arm Mounted Automatic Control Unit for 3 HP, to Fit A-dec® Cascade® | 4378    | Surf  | \$1,242.00   |       |  |  |  |  |  |

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



#### **Direct Replacement**

PN 4378, Arm-Mounted Automatic Control Unit is a direct replacement for all Cascade<sup>®</sup> models with a 2" head mount. The smooth asepsis design, sand color, and standard features make it perfect for replacing a standard Cascade<sup>®</sup> unit.



#### Simplified Design

The simplified design adds individual holders for easier upkeep and a more reliable robust mount.



#### **Matching Features**

This three HP automatic unit comes with an air/water syringe, individual water flow control, chip air adjustment, flush system, and brake activation on the left and right side of the head.

### The Arm Mounted Automatic Control Unit comes standard with a full length 12' umbilical

If the original umbilical is damaged, string the new one to the junction box or cut the umbilical short. Then, match the colors and align them together at the upper 2" control mount.



A-dec<sup>®</sup> and Cascade<sup>®</sup> are registered trademarks of A-dec<sup>®</sup>, Inc. These parts are manufactured by DCI to fit A-dec<sup>®</sup> equipment. DCI has no affiliation with A-dec<sup>®</sup> and A-dec<sup>®</sup> has not authorized DCI replacement parts to be used on or in connection with A-dec<sup>®</sup> products.

## **OEM REPLACEMENT UNITS**



4446

#### Pelton & Crane® Executive Conversion Kit

Direct-fit replacement for Pelton & Crane® OEM Executive Unit with a modern upgrade. The P&C Executive Conversion Kit can also be used as a slide-out dental unit, on any cabinet with a 12.5" opening.

- Precision Comfort<sup>®</sup> Premium Autoclavable Vacuum Valves, 2 HVE, 1 SE
- Includes 8323 utility center

- Variable speed disc-type foot control w/ wet/dry toggle
- $\cdot$   $\,$  Precision Comfort® three-way syringe
- Dimensions: 12 1/2" x 18" x 4 1/2"
- Automatic handpiece holders w/ manual lockout toggle
- 6 ft. Umbilical

| 🗸 - Standard Features 🛛 - Choose Your Option | Part Number | Retail Price | TOTAL |  |  |  |  |  |
|--|-------------|--------------|-------|--|--|--|--|--|
| Step 1 Choose Your Delivery Unit             |             |              |       |  |  |  |  |  |
| Pelton & Crane Executive Conversion Kit      | 4446        | \$2,882.10   |       |  |  |  |  |  |

.

# **AUXILIARY QD PANEL & LAB HP KIT**





Air & Water Auxiliary QD Panel

- 1/4" Water quick connect w/ flow control
- 3/8" Air quick connect w/ on/off switch
- Dimensions: 3" x 4"
- Available in white or gray




4198


Laboratory Handpiece Control Kit


- Requires air only
- 4-hole handpiece tubing
- Handpiece holder & bar
- Economy foot control
- Air regulator w/ gauge


| ✓ - Standard Features 🛛 - Choose Your Option |  | Part Number |       | Retail Price | TOTAL |  |  |  |
|--|--|-------------|-------|--------------|-------|--|--|--|
| Step 1 Choose Your Delivery Unit             |  |             |       |              |       |  |  |  |
| Air & Water Auxiliary QD Panel               |  | 6569        | White | \$190.00     |       |  |  |  |
|  |  | 6559        | Gray  | \$190.00     |       |  |  |  |
| Laboratory Handpiece Control Kit             |  | 4198        | Gray  | \$173.90     |       |  |  |  |

# **DIMENSIONAL DRAWINGS**













## **DIMENSIONAL DRAWINGS**







# **ILLUSTRATED PARTS BREAKDOWN**







# **ILLUSTRATED PARTS BREAKDOWN**









#### **SHIPPING COSTS**

Reliance Equipment will ship in accordance with current lead times. Delivery systems and equipment are shipped via UPS Ground or via Freight. Please contact Customer Service regarding current lead times.

#### **TERMS**

Net 30 days on approved accounts; Visa, Mastercard or American Express can be used until credit is approved.

#### **RETURNED GOODS**

Items must be in original condition to be eligible for return; no credit will be issued on used, installed, damaged or incomplete returns (no partial packages). Custom equipment, custom cabinets, custom colors, obsolete, discontinued and upholstery items will not be accepted for credit.

Returns will not be accepted once one year has passed since the original invoice date. 15% Restocking fee will be applied on overstock Equipment returns.

#### **Overstock Returns:**

- Before returning the product, call DCI Customer Service for a Return Authorization Number. Please have the following information when you call:
  - Customer number
  - Part numbers and quantities for all return items

- The corresponding DCI invoice or order number
- Carefully package all return items to prevent shipping damage. Please contact DCI Customer Service for proper packaging materials if needed.
- Write the Return Authorization Number on the outside of the package and reference the number on any accompanying items and paperwork.
- Ship to DCI at the shipping address.

#### Warranty Returns:

- Before returning the product, call DCI Customer Service for a Return Authorization Number. Please have the following information when you call:
  - · Reason for return/type of failure
  - Customer number
  - Part numbers and quantities for all return items
  - The corresponding DCI invoice or order number
- Write the Return Authorization Number on the outside of the package and reference the number on any accompanying items and paperwork.
- Ship to:
  - DCI

ATTN: Returns

705 S Springbrook Road

Newberg, OR, 97132-0228, U.S.A.

#### THIRD PARTY TRADEMARK NOTICE

A-dec<sup>®</sup>, Cascade<sup>®</sup>, Century Plus<sup>®</sup>, Century<sup>®</sup>, Continental<sup>®</sup>, Decade<sup>®</sup>, Performer<sup>®</sup>, Preference<sup>®</sup>, Preference Collection<sup>®</sup>, Radius<sup>®</sup>, A-dec 500<sup>®</sup> and A-dec 300<sup>®</sup> are registered trademarks of A-dec®, Inc. of Newberg, Oregon. Dentech® is a registered trademark of Alliance H., Inc. of Sumas, Washington. Midmark® is a registered trademark of Midmark Corp. of Versailles, Ohio. Tapmaster® is a registered trademark of Tapmaster Inc. of Calgary, Canada. Pelton & Crane<sup>™</sup> is a trademark of Pelton & Crane of Charlotte, North Carolina. Marus<sup>™</sup> is a trademark of Marus Dental International of Newberg, Oregon. DENTSPLY® is a registered trademark of DENTSPLY International Inc. of York, Pennsylvania. Belmont<sup>®</sup> is a registered trademark of Takara Belmont USA, Inc. of Somerset, New Jersey. Tuttnauer® is a registered trademark of Tuttnauer USA Company, Ltd. of Hauppauge, New York. DentalEZ<sup>®</sup> is a registered trademark of DentalEZ, Inc. of Malvern, Pennsylvania. SciCan® is a registered trademark of SciCan Ltd. of Canonsberg, Pennsylvania. RAMVAC® is a registered trademark of RAMVAC Dental Products, Inc. of Spearfish, South Dakota. The parts described in this catalog are manufactured by DCI to fit products manufactured and sold by third parties under the foregoing third party trademarks.

#### **CONTACT US**



#### **GIVE US FEEDBACK**

Scan the code & let us know what changes or additions you would like to see in our future product offerings.





FOR THE LATEST VERSIONS, CHECK OUT OUR ONLINE ORDER RELIANCE ORDER GUIDE AND PARTS CATALOG

**RELIANCE ORDER GUIDE** 

PARTS CATALOG





#### **DCI Corporate Office**

705 S Springbrook Road Newberg, OR 97132 customerservice@dcionline.com **1-800-624-2793** Mon to Fri 5 A.M. - 5 P.M. PST



dcionline.com 2397/Oct 2023-002D ©2023 DCI